

LEXION  
770 760 750 740 730  
670

***CLAAS***

# LEXION After Sales Parts

# The benchmark for a new class



|                                             |           |
|---------------------------------------------|-----------|
| <b>ORIGINAL CLAAS Parts</b>                 | <b>4</b>  |
| <b>CLAAS Power Systems</b>                  | <b>6</b>  |
| CPS: Engine Enhancements                    | 7         |
| CPS: Lubricants                             | 8         |
| <b>EASY: Efficient Agricultural Systems</b> | <b>10</b> |
| EASY: on Field                              | 12        |
| Rear Axle Accessories                       | 13        |
| Cleaning Shoe Accessories                   | 14        |
| Cab Accessories                             | 16        |
| Feederhouse Accessories                     | 17        |
| APS Threshing Accessories                   | 18        |
| ROTO PLUS Accessories                       | 19        |
| Grain Handling Accessories                  | 20        |
| Extended Life Parts                         | 21        |
| <b>CLAAS Headers</b>                        | <b>22</b> |
| MAXFLO                                      | 24        |
| Grain/ Rice Heads                           | 25        |
| Flex Heads                                  | 26        |
| MAXFLEX                                     | 27        |
| VARIO                                       | 28        |
| Corn Heads                                  | 29        |
| Pickup Heads                                | 30        |
| <b>Service Points</b>                       | <b>32</b> |
| CLAAS Service                               | 34        |
| MAXI CARE                                   | 36        |
| Manuals                                     | 38        |
| On Your Farm Parts                          | 39        |
| CLAAS Professional Grade Tools              | 40        |
| Parts Ordering Procedure                    | 42        |

# No compromises: ORIGINAL CLAAS Parts

## 100 % operational reliability.

Install only ORIGINAL CLAAS parts on your LEXION to ensure maximum operational reliability. That's because our parts are perfectly fitted, high quality production parts made using state-of-the-art technology in a continuous quality controlled process.

## Beware of copies!

Essential wear parts are often copied. Sometimes they are even manufactured to the correct size. However, much more important are the materials used and the methods of production. These are the factors that determine the reliability and durability of the parts. For this reason, ORIGINAL CLAAS parts are exclusively manufactured from high quality materials and exactly to CLAAS specifications.

Using copied parts will not assure the safe and reliable operation of your LEXION, and can even result in failure and costly consequential damage. We would advise you not to take that risk because, after all, your business success during the harvesting season hangs on the performance and reliability of your LEXION.

## Service included.

When it comes to replacement parts, not only quality but also availability are of utmost importance.

That is why at CLAAS we have established tightly integrated global service network in conjunction with our North American Dealer network. This means that your local CLAAS dealer always stocks all the essential parts you need.

In addition, our affiliated parts specialist and service technicians know all there is to know about ORIGINAL CLAAS parts, thus ensuring the quick and reliable replacement of parts even under time pressure. They prove this all year round, and especially during harvest season. Also they are there to serve you after hours, after all, you yourself will be working around the clock.

# CPS: CLAAS Power Systems

CLAAS changed the industry when it introduced the LEXION Series of combine harvesters, the most efficient and versatile range of combine harvesters in the world. These workhorses are known worldwide for their combination of massive power and impressive fuel economy. How are these two seemingly opposite characteristics possible in one machine? They are the result of the CLAAS POWER SYSTEM (CPS), an approach to creating the most efficient, powerful and capable machines possible.

The CPS team is a group of experts from different disciplines and business sectors that work together to develop the best solutions in drive technology. The team is comprised of experienced specialists who focus on ensuring that the best engines, power train systems and other features are developed and sourced for each piece of CLAAS machinery.

Overall, the group works to develop not only the best systems for power generation, but also for power conversion and power usage. Finding the most efficient ways to turn engine power into throughput is at the very heart of this process for LEXION combine harvesters.

For the LEXION, the CPS process has included not only determining the most efficient engine to use for each model, but also targeting the hydraulic, drive technology and electronics. In addition, there's a constant focus on improving fuel economy.

# CPS: Engine Enhancements

|                                             |          | 770 / 770 TERRA TRAC | 760 / 760 TERRA TRAC | 750 / 750 TERRA TRAC | 740 / 740 TERRA TRAC | 730               | 670               |
|---------------------------------------------|----------|----------------------|----------------------|----------------------|----------------------|-------------------|-------------------|
| Manufacturer                                |          | Mercedes Benz        | Caterpillar          | Caterpillar          | Caterpillar          | Caterpillar       | Caterpillar       |
| Model                                       |          | OM 502 LA            | C 13                 | C 13                 | C 9                  | C 9               | C 9               |
| Cylinders                                   |          | V 8                  | Inline 6             | Inline 6             | Inline 6             | Inline 6          | Inline 6          |
| Fuel consumption monitoring                 | P03 0090 | *****                | *****                | *****                | *****                | *****             | *****             |
| Auxiliary fuel tank                         | P14 0115 | 794 919.0            | 794 919.0            | 794 919.0            | 794 919.0            | 794 919.0         | -                 |
| Fuel tank locking cap                       |          | 177 621.0            | 177 621.0            | 177 621.0            | 177 621.0            | 177 621.0         | 177 621.0         |
|                                             |          |                      |                      |                      |                      |                   |                   |
| Ether starting assistance kit               |          | -                    | 509 852.0* Tier 3    | 509 852.0* Tier 3    | 509 853.0* Tier 3    | 509 853.0* Tier 3 | 509 853.0* Tier 3 |
| Replacement bottle                          |          | -                    | 505 002.0            | 505 002.0            | 505 002.0            | 505 002.0         | 505 002.0         |
|                                             |          |                      |                      |                      |                      |                   |                   |
| Rotary screen brush kit                     |          | -                    | -                    | -                    | 798 906.2            | 798 906.2         | 798 906.2         |
| Replacement brush                           |          | -                    | -                    | -                    | 743 797.1            | 743 797.1         | 743 797.1         |
| CLEAN SWEEP internal brush kit <sup>1</sup> |          | 798 753.0            | 798 753.0            | 798 753.0            | 798 753.0            | 798 753.0         | -                 |
| Dual air filter intake kit                  |          | 14981750             | 14981750             | 14981750             | 14981750             | 14981750          | 14981750          |

\* May require additional lead time  
<sup>1</sup>For machines equipped with CLEAN SWEEP  
\*\*\*\* Contact CLAAS Technical Support for unlock code (402) 861-1000 option 3

Rotary screen brush kit      Ether starting assistance kit

# CPS:

## Full power with lubricants by CLAAS

### CLAAS lubricants.

- cover the entire range of CLAAS machinery
- can be used in all brands of machinery
- are tested and approved by the CLAAS Technical Development Department
- comply with all technical specifications, including the TIER 3 & 4 exhaust emission standards
- meet the rising demands on transmissions, axles, hydraulics and wet brakes
- ensure maximum operating reliability

| Products           | Designation                                            |
|--------------------|--------------------------------------------------------|
| Engine oils        | CLAAS AGRIMOT Mineral<br>CLAAS ULTRATEC Semi-synthetic |
| Hydraulic oils     | CLAAS AGRIHYD                                          |
| Transmission oils  | CLAAS AGRISHIFT                                        |
| Antifreeze         | CLAAS AGRI-COOL Premix                                 |
| Lubricating grease | CLAAS AGRIGREASE                                       |

| Product                 | Container Size                           | Part Number      |
|-------------------------|------------------------------------------|------------------|
| <b>Engine Oil</b>       |                                          |                  |
| AGRIMOT ULTRATEC 10w-40 | 5.2 US gal/20 Liter                      | 147 483.0        |
| AGRIMOT ULTRATEC 10w-40 | Pallet of 40<br>5.2 US gal/20 Liter Jugs | CLPALLET1474830  |
| AGRIMOT ULTRATEC 10w-40 | 55 US gal/208 Liter                      | 147 482.0        |
| AGRIMOT SDM 15W-40      | 5.2 US gal/20 Liter                      | 147 459.0        |
| AGRIMOT SDM 15W-40      | Pallet of 40<br>5.2 US gal/20 Liter Jugs | CLPALLET147459.0 |
| AGRIMOT SDX 15W-40      | 1.3 US gal/5 Liter                       | 147 481.0        |
| AGRIMOT SDX 15W-40      | 5.2 US gal/20 Liter                      | 147 480.0        |
| AGRIMOT SDX 15W-40      | 15.8 US gal/60 Liter                     | 147 489.0        |
| AGRIMOT SDX 15W-40      | 55 US gal/208 Liter                      | 147 478.0        |
| <b>Hydraulic Oil</b>    |                                          |                  |
| AGRIHY HV 46            | 5.2 US gal/20 Liter                      | 147 445.0        |
| AGRIHY HV 46            | Pallet of 40<br>5.2 US gal/20 Liter Jugs | CLPALLET1474450  |

| Product                      | Container Size                           | Part Number     |
|------------------------------|------------------------------------------|-----------------|
| <b>Gear/Transmission Oil</b> |                                          |                 |
| AGRISHIFT MT 80W-90          | 5.2 US gal/20 Liter                      | 147 430.0       |
| AGRISHIFT MT 80W-90          | Pallet of 40<br>5.2 US gal/20 Liter Jugs | CLPALLET1474300 |
| AGRISHIFT BLS 90             | 5.2 US gal/20 Liter                      | 147 397.0       |
| AGRISHIFT BLS 90             | Pallet of 40<br>5.2 US gal/20 Liter Jugs | CLPALLET1473970 |
| AGRISHIFT SYN FE 75W-90      | 5.2 US gal/20 Liter                      | 560 576.1       |
| <b>Anti-freeze</b>           |                                          |                 |
| AGRI-COOL Premix             | 1.3 US gal/5 Liter                       | 147 471.0       |
| AGRI-COOL Premix             | 5.2 US gal/20 Liter                      | 147 472.0       |
| <b>Grease</b>                |                                          |                 |
| AGRIGREASE EP2               | Cartridge                                | 147 437.0       |
| AGRIGREASE EP2               | 11 US lbs/5 kg                           | 147 341.0       |
| AGRIGREASE LC 00/000         | Cartridge                                | 147 471.0       |



# EASY: Efficient Agriculture Systems by CLAAS

The name says it all.

The electronic expertise of CLAAS can be summarized in one word: EASY Efficient Agriculture Systems, and it lives up to its name. Combine settings, steering systems, software solutions and more: EASY makes it all simple. These systems can be matched perfectly, enabling you to get the best performance from your combine and top results for your operation.

Go on. Go EASY.

Four components make one EASY concept. Each one has its own specialty, and when combined, they form a powerful team.

- on board – Combine control and performance optimization from the cab
- on field – Increase productivity directly in the field
- on track – Equipment monitoring and diagnostics
- on farm – Software solutions for your operation



|                                                                                             |          | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730       | 670       |
|---------------------------------------------------------------------------------------------|----------|-------------------------|-------------------------|-------------------------|-------------------------|-----------|-----------|
| Communication module kit <sup>1</sup>                                                       | Q15 0030 | 506 237.1               | 506 237.1               | 506 237.1               | 506 237.1               | 506 237.1 | 506 237.1 |
| Telematics kit <sup>2</sup>                                                                 | Q07 0205 | 506 238.0               | 506 238.0               | 506 238.0               | 506 238.0               | 506 238.0 | 506 238.0 |
| 1st yr full customer access with 1 yr<br>dealer access in CDS remote, Compact<br>flash card |          |                         |                         |                         |                         |           |           |
| Additional Telematics license <sup>2</sup>                                                  |          | *****                   | *****                   | *****                   | *****                   | *****     | *****     |
| 1 to 5 additional yrs full customer<br>access only                                          |          |                         |                         |                         |                         |           |           |
| CDS Remote only license <sup>2</sup>                                                        |          | *****                   | *****                   | *****                   | *****                   | *****     | *****     |
| 1 or 3 additional yrs dealer remote<br>access only                                          |          |                         |                         |                         |                         |           |           |
| CDS Remote (Dealer Tool)                                                                    |          | 015 424.0               | 015 424.0               | 015 424.0               | 015 424.0               | 015 424.0 | 015 424.0 |
| Printer for CEBIS                                                                           | Q07 0050 | 91021665*               | 91021665*               | 91021865*               | 91021865*               | 91021865* | 91021865* |
| QUANTIMETER                                                                                 | Q08 0011 | 91022175*               | 91022175*               | 91022183*               | 91022183*               | 91022183* | 91022171* |
| CLAAS Yield Mapping <sup>3</sup>                                                            | Q07 0160 | 91022157*               | 91022157*               | 91022159*               | 91022159*               | 91022159* | 91022169* |
| Tailings monitoring- electronic <sup>3</sup>                                                | E10 0010 | 91022127*               | 91022127*               | 91022002*               | 91022002*               | 91022002* | 91022121* |
| QUANTIMETER module <sup>4</sup>                                                             |          | 16654.2                 | 16654.2                 | 16654.2                 | 16654.2                 | 16654.2   | 16654.2   |
| QUANTIMETER wiring harness <sup>4</sup>                                                     |          | 16752.1                 | 16752.1                 | 16752.1                 | 16752.1                 | 16752.1   | 16752.1   |
| GRAINMETER analyzer for returns <sup>3</sup>                                                | E10 0030 | 91022131*               | 91022131*               | 91022006*               | 91022006*               | 91022006* | 91022125* |
| CRUISE PILOT for STD feederhouse <sup>5</sup>                                               | B10 0060 | 91021655*               | 91021655*               | 91022075*               | -                       | -         | -         |
| CRUISE PILOT for HP feederhouse <sup>5</sup>                                                | B10 0070 | 91022077*               | 91022077*               | 91021657*               | -                       | -         | -         |

\*May require additional lead time

<sup>1</sup>Required for Telematics, CLAAS Yield Mapping or CDS Remote if not equipped

<sup>2</sup>Requires a customer supplied SIM card data plan

<sup>3</sup>Requires QUANTIMETER

<sup>4</sup>Required if installing tailings monitoring – electronic without QUANTIMETER installed

<sup>5</sup>Only 770/770TT, 760/760TT, 750 TT 25 mph models

\*\*\*\* Contact CLAAS Technical Support for code (402) 861-1000 option 3

EASY:  
Efficient Agriculture Systems

EASY:  
on field



Rear Axle  
Accessories



|                                        | MAXFLO<br>1200 / 1050 | MAXFLEX<br>VARIO<br>1200 / 1050 | 16-30<br>12-30 / 12-30c<br>8-30 / 8-30c<br>6-30<br>Corn Headers | 12-22 / 12-22c<br>Corn Headers | 18-20 / 18-20c<br>12-20 / 12-20c<br>Corn Headers | 8-38<br>8-36<br>Corn Headers |
|----------------------------------------|-----------------------|---------------------------------|-----------------------------------------------------------------|--------------------------------|--------------------------------------------------|------------------------------|
| LASER PILOT sensor kit- right          | 509 341.0             | 509 341.0                       | -                                                               | -                              | -                                                | -                            |
| LASER PILOT sensor kit - left          | 509 342.0             | 509 342.0                       | -                                                               | -                              | -                                                | -                            |
| LASER PILOT mounting<br>brackets-Left  | CL99995300            | CL99995330                      | -                                                               | -                              | -                                                | -                            |
| LASER PILOT mounting<br>bracket-right  | CL99995320            | CL99995340                      | -                                                               | -                              | -                                                | -                            |
| AUTO PILOT kit - header parts          | R05 0010              | -                               | 527 057.0                                                       | -                              | -                                                | -                            |
| AUTO PILOT kit - header parts          | R05 0015              | -                               | -                                                               | -                              | ***                                              | -                            |
| AUTO PILOT kit - header parts          | R05 0020              | -                               | -                                                               | -                              | -                                                | 998 162.0                    |
| AUTO PILOT kit - header parts          | R05 0022              | -                               | -                                                               | ***                            | -                                                | -                            |
| AUTO PILOT sensor - right <sup>1</sup> | -                     | -                               | 053 016.1                                                       | 053 016.1                      | 053 016.1                                        | 053 016.1                    |
| AUTO PILOT sensor - left <sup>1</sup>  | -                     | -                               | 053 017.1                                                       | 053 017.1                      | 053 017.1                                        | 053 017.1                    |

<sup>1</sup> If converging a 400/500 Series header to be used on 700/600 Series LEXION  
\*\*\* Not currently available

|                                   |          | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730       | 670       |
|-----------------------------------|----------|-------------------------|-------------------------|-------------------------|-------------------------|-----------|-----------|
| AUTO PILOT - rear axle            | B14 0010 | 91022107*               | 91022107*               | 91022103*               | 91022103*               | 91022103* | 91022095* |
| Powered, rear axle <sup>1,2</sup> | N08 0434 | 91022517*               | 91022517*               | 91022210*               | 91022210*               | 91022210* | 91022922* |
| 620/75 R26 rim only <sup>3</sup>  | N10 0393 | 353 327.0               | 353 327.0               | 353 327.0               | 353 327.0               | 353 327.0 | -         |
|                                   | N10 0399 |                         |                         |                         |                         |           |           |
| 28L R26 rim only <sup>3</sup>     | N10 0402 | 353 326.0               | 353 326.0               | 353 326.0               | 353 326.0               | 353 326.0 | -         |

\* May require additional lead time  
<sup>1</sup> Requires 335mm diameter lug rim pattern  
<sup>2</sup> Exception, 670 walker requires 225mm diameter lug rim pattern  
<sup>3</sup> Individual parts numbers, may require more than one

# Cleaning Shoe Accessories

|                                         |          | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730        | 670        |
|-----------------------------------------|----------|-------------------------|-------------------------|-------------------------|-------------------------|------------|------------|
| TOP SIEVE                               |          |                         |                         |                         |                         |            |            |
| TM6 adjustable airfoil¹                 | E14 0020 | 91022598*               | 91022598*               | 91022574*               | 91022574*               | 91022574*  | 736 058.0* |
| Deep tooth frogmouth - Corn/Soybean¹    | E14 0030 | 91022600*               | 91022600*               | 91022576*               | 91022576*               | 91022576*  | 739 543.1* |
| Shallow tooth frogmouth - Small Grains¹ | E14 0010 | 91022596*               | 91022596*               | 91022572*               | 91022572*               | 91022572*  | 736 060.2* |
| 16 mm round hole                        |          | 757 362.0*              | 757 362.0*              | 757 352.1*              | 757 352.1*              | 757 352.1* | 736 116.1* |
| 18 mm round hole                        |          | 757 363.0*              | 757 363.0*              | 757 353.0*              | 757 353.0*              | 757 353.0* | 754 244.0* |
| 18 mm beveled round hole                |          | 757 364.0*              | 757 364.0*              | 757 354.0*              | 757 354.0*              | 757 354.0* | 736 122.1* |
| 20 mm beveled round hole                |          | 757 355.0*              | 757 355.0*              | 757 355.0*              | 757 355.0*              | 757 355.0* | 736 123.1* |
| Corn/Cob 80/20 mixture                  |          | 756 477.0*              | 756 477.0*              | 756 476.0*              | 756 476.0*              | 756 476.0* | 736 124.1* |
| BOTTOM SIEVE                            |          |                         |                         |                         |                         |            |            |
| TM6 adjustable airfoil                  |          | 756 448.0*              | 756 448.0*              | 756 446.0               | 756 446.0*              | 756 446.0* | 736 059.0* |
| Deep tooth frogmouth                    |          | 756 475.0*              | 756 475.0*              | 756 474.0               | 756 474.0*              | 756 474.0* | -          |
| Shallow tooth frogmouth - Standard      |          | 756 465.0*              | 756 465.0*              | 756 462.0               | 756 462.0*              | 756 462.0* | 736 061.2* |
| 2.5 mm round hole                       |          | 757 366.0*              | 757 366.0*              | 757 356.0               | 757 356.0*              | 757 356.0* | 736 120.0* |
| 4.5 mm round hole                       |          | 757 367.0*              | 757 367.0*              | 757 357.0*              | 757 357.0*              | 757 357.0* | 736 119.0* |
| 7 mm round hole                         |          | 757 368.0*              | 757 368.0*              | 757 357.0*              | 757 357.0*              | 757 357.0* | 736 118.0* |
| 12 mm round hole                        |          | 756 478.0*              | 756 478.0*              | 757 359.0*              | 757 359.0*              | 757 359.0* | 736 117.0* |
| 16 mm round hole                        |          | 756 479.1*              | 756 479.1*              | 757 360.0*              | 757 360.0*              | 757 360.0* | 751 274.0* |
| 18 mm round hole                        |          | 756 480.0*              | 756 480.0*              | 757 361.0*              | 757 361.0*              | 757 361.0* | 751 959.0* |
| 18 mm beveled round hole                |          | 756 481.0*              | 756 481.0*              | 757 350.0*              | 757 350.0*              | 757 350.0* | 736 122.1* |
| 20 mm beveled round hole                |          | 756 482.0*              | 756 482.0*              | 757 351.0*              | 757 351.0*              | 757 351.0* | 751 276.0* |

¹May require additional lead time  
¹Kit number includes both top sieves, except for 670

|                         |          | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730       | 670       |
|-------------------------|----------|-------------------------|-------------------------|-------------------------|-------------------------|-----------|-----------|
| 3-D Cleaning system kit | E04 0020 | 91022113*               | 91022113*               | 91021998*               | 91021998*               | 91021998* | 91022117* |
| Wind reduction kit      | E05 0010 | 628 914.0               | 628 914.0               | -                       | -                       | -         | 785 779.0 |

\* May require additional lead time

Shown wind reduction kit for the LEXION 670

# Cab Accessories

# Feederhouse Accessories

|                                         |          | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730       | 670       |
|-----------------------------------------|----------|-------------------------|-------------------------|-------------------------|-------------------------|-----------|-----------|
| Work lights package - XENON             | Q03 0051 | 91022153*               | 91022153*               | 91022012*               | 91022012*               | 91022012* | 91022145* |
| High - End light package - XENON        | Q03 0057 | 91022155*               | 91022155*               | 91022014*               | 91022014*               | 91022014* | 91022147* |
| Mobile work light                       |          | 014 595.0               | 014 595.0               | 014 595.0               | 014 595.0               | 014 595.0 | 014 595.0 |
| Refrigerated cooler under trainers seat | Q03 0110 | 505 172.0               | 505 172.0               | 505 172.0               | 505 172.0               | 505 172.0 | 505 172.0 |
| Printer for CEBIS                       | Q07 0050 | 91021665*               | 91021665*               | 91021865*               | 91021865*               | 91021865* | 91021665* |
| CLAAS seat cover                        |          | 178 053.0               | 178 053.0               | 178 053.0               | 178 053.0               | 178 053.0 | 178 053.0 |
| PROFI CAM II                            |          | 017 047.0               | 017 047.0               | 017 047.0               | 017 047.0               | 017 047.0 | 017 047.0 |
| Side window sunshade                    |          |                         |                         |                         |                         |           |           |
| Left                                    |          | 565 336.1               | 565 336.1               | 565 336.1               | 565 336.1               | 565 336.1 | 565 336.1 |
| Right                                   |          | 564 507.1               | 564 507.1               | 564 507.1               | 564 507.1               | 564 507.1 | 564 507.1 |
| Fastener (one per side)                 |          | 565 343.0               | 565 343.0               | 565 343.0               | 565 343.0               | 565 343.0 | 565 343.0 |
| Windshield wiper                        |          | 558 572.0               | 558 572.0               | 558 572.0               | 558 572.0               | 558 572.0 | 558 572.0 |

\*May require additional lead time

|                                               |          | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730       | 670      |
|-----------------------------------------------|----------|-------------------------|-------------------------|-------------------------|-------------------------|-----------|----------|
| AUTO CONTOUR                                  | B04 0020 | 91022302*               | 91022302*               | 91022308*               | 91022308*               | 91022308* | 91022314 |
| Variable speed drive                          | B06 0020 | 91021649*               | 91021649*               | 91021861*               | 91021861*               | 91021861* | 91022918 |
| HD Variable speed drive                       | B06 0025 | -                       | -                       | 91021863*               | 91021863*               | -         | -        |
| HD 2 speed (420/332) fixed drive              | B06 0030 | 91022945*               | 91022945*               | -                       | -                       | -         | -        |
| Dust suction fan - STD                        | B12 0020 | 91022083*               | 91022083*               | 91021994*               | 91021994*               | 91021994* | 91022091 |
| Dust suction fan - HP                         | B12 0030 | 91022085*               | 91022085*               | 91021996*               | 91021996*               | 91021996* | 91022093 |
| CRUISE PILOT for STD feederhouse <sup>1</sup> | B10 0060 | 91021655*               | 91021655*               | 91022075**              | -                       | -         | -        |
| CRUISE PILOT for HP feederhouse <sup>1</sup>  | B10 0070 | 91021657*               | 91021657*               | 91022077**              | -                       | -         | -        |

\*May require additional lead time

<sup>1</sup>Only 770/770TT, 760/760TT, 750 TT 25 mph models

# APS Threshing

# ROTO PLUS Accessories

|                                                                                                    |          | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730        | 670        |
|----------------------------------------------------------------------------------------------------|----------|-------------------------|-------------------------|-------------------------|-------------------------|------------|------------|
| <b>APS Grates</b>                                                                                  |          |                         |                         |                         |                         |            |            |
| 6.5 x 40 smooth <sup>1</sup>                                                                       |          | 777 200.0               | 777 200.0               | 777 216.0               | 777 216.0               | 777 216.0  | 777 200.0  |
| Small grains, canola                                                                               |          |                         |                         |                         |                         |            |            |
| 6.5 x 40 w/ key stock <sup>1</sup>                                                                 |          | 757 443.0               | 757 443.0               | 757 445.0               | 757 445.0               | 757 445.0  | 757 443.0  |
| Though threshing small grains                                                                      |          |                         |                         |                         |                         |            |            |
| 10 x 40 wire <sup>1</sup>                                                                          |          | 777 249.1               | 777 249.1               | 777 238.1               | 777 238.1               | 777 238.1  | 777 249.1  |
| Soybeans, small grains                                                                             |          |                         |                         |                         |                         |            |            |
| 12 x 40 kit <sup>2</sup>                                                                           | C03 0165 | 91022481                | 91022481                | 91022328                | 91022328                | 91022328   | 91022481   |
| Greenstem soybeans, small grains                                                                   |          |                         |                         |                         |                         |            |            |
| 19 x 40 smooth <sup>1</sup>                                                                        |          | 757 439.0               | 757 439.0               | 757 441.0               | 757 441.0               | 757 441.0  | 757 439.0  |
| Corn, edible beans                                                                                 |          |                         |                         |                         |                         |            |            |
| <b>Conversion Kits</b>                                                                             |          |                         |                         |                         |                         |            |            |
| Small grains to corn: <sup>2</sup>                                                                 | C03 0080 | 91022479                | 91022479                | 91022326                | 91022326                | 91022326   | 91022479   |
| 19 mm APS grates, threshing cylinder<br>filler plates                                              |          |                         |                         |                         |                         |            |            |
| Corn to small grains: <sup>2</sup>                                                                 | C03 0019 | 91022477                | 91022477                | 91022324                | 91022324                | 91022324   | 91022477   |
| 10 mm APS grates, preconcave filler<br>plate, concave filler bars, intensive<br>threshing segments |          |                         |                         |                         |                         |            |            |
| Pre-concave blocking plate                                                                         |          | CL99995220              | CL99995220              | CL99995210              | CL99995210              | CL99995210 | CL99995220 |
| Main concave cover plates                                                                          |          | 734 566.1               | 734 566.1               | 734 567.1               | 734 567.1               | 734 567.1  | 734 566.1  |
| Clover concave kit <sup>2</sup>                                                                    |          | 736 568.1*              | 736 568.1*              | 754 836.1*              | 754 836.1*              | 754 836.1* | 736 568.1* |
| <b>Main Concaves</b>                                                                               |          |                         |                         |                         |                         |            |            |
| N7/N18 - small grains/grass                                                                        |          | 777 254.1               | 777 254.1               | 777 264.0               | 777 264.0               | 777 264.0  | 777 254.1  |
| N18 - corn/soybean                                                                                 |          | 756 080.1               | 756 080.1               | 756 184.1               | 756 184.1               | 756 184.1  | 756 080.1  |
| Roundbar - specialty                                                                               |          | 754 840.0               | 754 840.0               | 754 850.0               | 754 850.0               | 754 850.0  | 754 840.0  |

\*May require additional lead time  
<sup>1</sup> Only individual part number, machine requires 3 grates  
<sup>2</sup> Includes 3 APS grates in kit

|                                                |                      | 770 / 770<br>TERRA TRAC    | 760 / 760<br>TERRA TRAC  | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730                     |
|------------------------------------------------|----------------------|----------------------------|--------------------------|-------------------------|-------------------------|-------------------------|
| Variable speed rotor drive<br>(360 - 1050 rpm) | D06 0020             | 91022336*                  | 91022336*                | 91022332*               | 91022332*               | 91022332*               |
| In-cab rotor covers adjustment <sup>1</sup>    | D10 0030<br>D10 0040 | CL99995470*<br>CL99995470* | CL9999547*<br>CL9999547* | 91012431*<br>CL9999546* | 91012431*<br>CL9999546* | 91012431*<br>CL9999546* |
| Flax universal rotors                          | Left<br>Right        | 508 310.1<br>508 320.1     | 508 310.1<br>508 320.1   | 508 310.1<br>508 320.1  | 508 310.1<br>508 320.1  | 508 310.1<br>508 320.1  |

\*May require additional lead time  
<sup>1</sup>Electric rotor cover were installed on C48 machines only that ordered with D10 0030, all C49 are hydraulic along with C48 ordered with D10 0040



# Grain Handling Accessories

|                                              |          | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730       | 670       |
|----------------------------------------------|----------|-------------------------|-------------------------|-------------------------|-------------------------|-----------|-----------|
| Unloading boot - standard                    | 500mm    | 792 914.0               | 792 914.0               | 792 914.0               | 792 914.0               | 792 914.0 | 792 914.0 |
| Unloading boot - XL                          | 1000mm   | 792 796.1               | 792 796.1               | 792 796.1               | 792 796.1               | 792 796.1 | 792 796.1 |
| Unloading rate 3.3 bu/sec Kit                | F08 0020 | -                       | -                       | 91022135*               | 91022135*               | 91022135* | -         |
| Clean grain cross auger trough - perforated  |          | 757 747.0               | 757 747.0               | 757 728.0               | 757 728.0               | 757 728.0 | 755 017.0 |
| Return grain cross auger trough - perforated |          | 757 930.0               | 757 930.0               | 757 925.0               | 757 925.0               | 757 925.0 | 755 023.0 |
| Clean grain elevator boot - perforated       |          | 795 572.0               | 795 572.0               | 795 572.0               | 795 572.0               | 795 572.0 | 687 912.0 |
| Return elevator boot - perforated            |          | 687 914.0               | 687 914.0               | 687 914.0               | 687 914.0               | 687 914.0 | 687 914.0 |

\*May require additional lead time

# Extended Life Rice Accessories

|                                 |             |                 | 770 / 770<br>TERRA TRAC | 760 / 760<br>TERRA TRAC | 750 / 750<br>TERRA TRAC | 740 / 740<br>TERRA TRAC | 730               |
|---------------------------------|-------------|-----------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------|
| Complete Extended Life Rice Kit |             |                 | CLHARDRICEWIDE*         | CLHARDRICEWIDE*         | CLHARDRICENARROW*       | CLHARDRICENARROW*       | CLHARDRICENARROW* |
| APS Threshing                   |             | Required amount |                         |                         |                         |                         |                   |
| APS grate hold down             |             | 3               | CL7574130H*             | CL7574130H*             | CL7574290H*             | CL7574290H*             | CL7574290H*       |
| APS 10 x 40 grate               |             | 3               | CL7772491H*             | CL7772491H*             | CL7772381H*             | CL7772381H*             | CL7772381H*       |
| Pre-Concave frame               |             | 1               | CL7574002H*             | CL7574002H*             | CL7574252H*             | CL7574252H*             | CL7574252H*       |
| Concave                         |             |                 |                         |                         |                         |                         |                   |
| N18 main concave                |             | 1               | CL7560801H*             | CL7560801H*             | CL7561841H*             | CL7561841H*             | CL7561841H*       |
| ROTO PLUS Seporation            |             |                 |                         |                         |                         |                         |                   |
| Rotor intake stripper fins      | Right Rotor | 2               | CL7825280H*             | CL7825280H*             | CL7825280H*             | CL7825280H*             | CL7825280H*       |
| Intake wear strip               | Right Rotor | 2               | CL7825310H*             | CL7825310H*             | CL7825310H*             | CL7825310H*             | CL7825310H*       |
| Intake toothed bar              | Right Rotor | 2               | CL7825301H*             | CL7825301H*             | CL7825301H*             | CL7825301H*             | CL7825301H*       |
| Coach Bolts                     | Right Rotor | 40              | CL2365140H*             | CL2365140H*             | CL2365140H*             | CL2365140H*             | CL2365140H*       |
| Ejector coach bolts             | Right Rotor | 20              | CL2364420H*             | CL2364420H*             | CL2364420H*             | CL2364420H*             | CL2364420H*       |
| Ejector bar                     | Right Rotor | 2               | CL7583051H*             | CL7583051H*             | CL7583051H*             | CL7583051H*             | CL7583051H*       |
| Rotor wear caps                 | Right Rotor | 40              | CL7825331H*             | CL7825331H*             | CL7825331H*             | CL7825331H*             | CL7825331H*       |
| Rotor intake stripper fins      | Left Rotor  | 2               | CL7825070H*             | CL7825070H*             | CL7825070H*             | CL7825070H*             | CL7825070H*       |
| Intake wear strip               | Left Rotor  | 2               | CL7825100H*             | CL7825100H*             | CL7825100H*             | CL7825100H*             | CL7825100H*       |
| Intake toothed bar              | Left Rotor  | 2               | CL7825051H*             | CL7825051H*             | CL7825051H*             | CL7825051H*             | CL7825051H*       |
| Coach Bolts                     | Left Rotor  | 40              | CL2365140H*             | CL2365140H*             | CL2365140H*             | CL2365140H*             | CL2365140H*       |
| Ejector coach bolts             | Left Rotor  | 20              | CL2364420H*             | CL2364420H*             | CL2364420H*             | CL2364420H*             | CL2364420H*       |
| Ejector bar                     | Left Rotor  | 2               | CL7583191H*             | CL7583191H*             | CL7583191H*             | CL7583191H*             | CL7583191H*       |
| Rotor wear caps                 | Left Rotor  | 40              | CL7825331H*             | CL7825331H*             | CL7825331H*             | CL7825331H*             | CL7825331H*       |
| Rotor grate                     |             | 16              | CL7921552H*             | CL7921552H*             | CL7933602H*             | CL7933602H*             | CL7933602H*       |
| MAV Chopper                     |             |                 |                         |                         |                         |                         |                   |
| Chopper floor                   |             | 1               | CL5091600H              | CL5091600H              | CL5091610H              | CL5091610H              | CL5091610H        |


\*May require additional lead time  
\*\*\*\*If the CL & H are removed from the part number it revels the standard part number\*\*\*\*

# CLAAS Headers



# MAXFLO

Draper Header 1200/1050



|                                                  |       | MAXFLO 1200<br>53700011-<br>53799999 | MAXFLO 1050<br>53700011-<br>53799999 |
|--------------------------------------------------|-------|--------------------------------------|--------------------------------------|
| <b>Draper Belt</b>                               |       |                                      |                                      |
| Conveyer belt                                    | 2     | 381 433.1                            | 381 432.0                            |
| Belt clamping complete kit                       | 2     | CL99995030                           | CL99995030                           |
| Clamping tube with hardware                      |       |                                      |                                      |
| Belt clamping hardware kit                       | 2     | CL99995020                           | CL99995020                           |
| Hardware only no tube                            |       |                                      |                                      |
| Draper belt repair kit                           |       | 381506.0                             | 381506.0                             |
| 46 inch conveyer belt, clamping complete kit     |       |                                      |                                      |
| Belt idler roller kit                            | 2     | CL99995040                           | CL99995040                           |
| 1 roller with bearing                            |       |                                      |                                      |
| Belt drive roller kit                            | 2     | CL99995050                           | CL99995050                           |
| 1 roller with bearing                            |       |                                      |                                      |
| <b>Cutting Bar</b>                               |       |                                      |                                      |
| Double finger guards - Center Overlap            | 2     | 519 601.0                            | 519 601.0                            |
| Double finger guards - Standard                  | 74/64 | 519 600.0                            | 519 600.0                            |
| Triple finger guards - Ends                      | 2     | 521 280.0                            | 521 280.0                            |
| Knife bar hold down                              | 36/32 | 520 714.0                            | 520 714.0                            |
| Knife head hold down                             | 2     | 520 713.1                            | 520 713.1                            |
| Semi-complete knife - Left <sup>1</sup>          | 1     | 519 615.1                            | 519 613.1                            |
| Semi-complete knife - Right <sup>1</sup>         | 1     | 519 635.1                            | 519 633.1                            |
| Knife head - Left                                | 1     | 521 250.0                            | 521 250.0                            |
| Knife head - Right                               | 1     | 521 253.0                            | 521 253.0                            |
| Knife section kit                                |       | CL99995060                           | CL99995060                           |
| 10 SG sections with hardware                     |       |                                      |                                      |
| Knife overlapping section kit                    |       | CL99995130                           | CL99995130                           |
| 10 beveled SG sections with countersunk hardware |       |                                      |                                      |
| Knife hardware kit - bolts/nuts                  |       | CL99995070                           | CL99995070                           |
| Knife overload clutch                            | 2     | 381 926.1                            | 381 926.1                            |
| Crop lifter                                      | 38/34 | 626 299.1                            | 626 299.1                            |

<sup>1</sup> Excludes knife head  
<sup>2</sup> Standard speed is 609/min

# Grain/Rice Header

G750/R750

|                                       |     | G750<br>71701011- 71799999 | R750<br>71701011- 71799999 |
|---------------------------------------|-----|----------------------------|----------------------------|
| <b>Cutting Bar</b>                    |     |                            |                            |
| Finger guard - Left end               | 1   | 626 296.1                  | -                          |
| Finger guard - Right end              | 1   | 626 294.0                  | -                          |
| Double finger guards - Standard       | 49  | 626 295.1                  | -                          |
| Double knife guard repair kit         |     | -                          | CL99995150                 |
| Knife bar hold down                   | 21  | 767 940.0                  | 626 782.1                  |
| Knife head hold down                  | 2/1 | 626 748.1                  | 688 955.0                  |
| Complete knife                        |     | 626 739.2                  | 688 879.1                  |
| Knife section kit                     |     | CL99995060                 | CL99995140                 |
| 10 SG or Rice sections with hardware  |     |                            |                            |
| Knife hardware kit - bolts/nuts       |     | CL99995070                 | -                          |
| Knife end section - Left              |     | 615 306.0                  | -                          |
| Knife end section - Right             |     | 611 204.1                  | 688 960.0                  |
| <b>Auger</b>                          |     |                            |                            |
| Auger finger kit                      |     | CL99995010                 | CL99995010                 |
| 5 auger fingers, guides with hardware |     |                            |                            |
| Slip clutch assembly                  | 1   | 519 118.0                  | 519 118.0                  |
| Clutch pads, only                     | 2   | 749 936.1                  | 749 936.1                  |

# Flex Header

F900/F750

|                                       |                 | F900<br>43802011- 43899999 | F750<br>43802011- 43899999 |
|---------------------------------------|-----------------|----------------------------|----------------------------|
| <b>Cutting Bar</b>                    | <b>Quantity</b> |                            |                            |
| Finger guards - End                   | 1               | 626 296.1                  | 626 296.1                  |
| Double finger guards - Standard       |                 | 767 265.1                  | 767 265.1                  |
| Knife bar hold down                   |                 | 626 749.1                  | 626 749.1                  |
| Knife head hold down                  |                 | 626 748.1                  | 626 748.1                  |
| Complete knife                        |                 | 626 754.2                  | 626 739.2                  |
| Knife head                            |                 | 666 743.1                  | 666 743.1                  |
| Rubber cap w/ clip                    |                 | 518 355.0                  | 518 355.0                  |
| Castellated nut                       |                 | 244 457.0                  | 244 457.0                  |
| Knife section kit                     |                 | CL99995100                 | CL99995100                 |
| 10 Soybean sections with hardware     |                 |                            |                            |
| Knife hardware kit - bolts/nuts       |                 | CL99995080                 | CL99995080                 |
| Knife end section - Left              |                 | 615 306.0                  | 615 306.0                  |
| Knife end section - Right             |                 | 611 204.1                  | 611 204.1                  |
| <b>Auger</b>                          |                 |                            |                            |
| Auger finger kit                      |                 | CL99995170                 | CL99995170                 |
| 5 auger fingers, guides with hardware |                 |                            |                            |
| Slip clutch assembly                  | 1               | 519 118.0                  | 519 118.0                  |
| Clutch pads, only                     | 2               | 749 936.1                  | 749 936.1                  |

# MAXFLEX

Flex Header 1200/1050

|                                                  |                 | MAXFLEX<br>1200<br>53500011-<br>53599999 | MAXFLEX<br>1050<br>53500011-<br>53599999 |
|--------------------------------------------------|-----------------|------------------------------------------|------------------------------------------|
| <b>Cutting Bar</b>                               | <b>Quantity</b> |                                          |                                          |
| Double finger guards - Center                    | 2               | 521 283.0                                | 521 283.0                                |
| Overlap                                          |                 |                                          |                                          |
| Double finger guards - Standard                  | 78/68           | 521 282.0                                | 521 282.0                                |
| Knife bar hold down                              | 38/34           | 520 714.0                                | 520 714.0                                |
| Knife head hold down                             | 2               | 520 713.1                                | 520 713.1                                |
| Semi-complete knife - Left <sup>1</sup>          | 1               | 519 606.1                                | 519 604.1                                |
| Semi-complete knife - Right <sup>1</sup>         | 1               | 519 616.2                                | 519 614.1                                |
| Shims                                            |                 | 673 753.1                                | 673 753.1                                |
| Knife head - Left                                | 1               | 521 250.0                                | 521 250.0                                |
| Knife head - Right                               | 1               | 521 253.0                                | 521 253.0                                |
| Knife section kit                                |                 | CL99995100                               | CL99995100                               |
| 10 Soybean sections with hardware                |                 |                                          |                                          |
| Knife overlapping section kit                    |                 | CL99995090                               | CL99995090                               |
| 10 beveled Soybean section, countersunk hardware |                 |                                          |                                          |
| Knife hardware kit - bolts/nuts                  |                 | CL99995080                               | CL99995080                               |
| Knife 1/2 end section - Left                     | 1               | 359 059.0                                | 359 059.0                                |
| Knife 1/2 end section - Right                    | 1               | 767 252.0                                | 767 252.0                                |
| Knife overload                                   |                 |                                          |                                          |
| Shear bolt                                       | 2               | 237 341.0                                | 237 341.0                                |
| Nut                                              | 2               | 238 132.0                                | 238 132.0                                |
| <b>Skids</b>                                     |                 |                                          |                                          |
| Ridged skid                                      | 13/11           | 359 773.2                                | 359 773.2                                |
| Skid strap                                       |                 | 523 729.1                                | 523 729.1                                |
| Flex skid                                        | 22/18           | 359 111.1                                | 359 111.1                                |
| Front wear skid replacement kit                  | 37/31           | CL99995110                               | CL99995110                               |
| 3 front skids with rivets                        |                 |                                          |                                          |
| Control arm skid                                 | 2               | 521 813.0                                | 521 813.0                                |
| Rivets                                           | 12              | 212 607.1                                | 212 607.1                                |
| End divider skid - left                          | 1               | 521 938.0                                | 521 938.0                                |
| Rivets                                           | 6               | 212 607.1                                | 212 607.1                                |
| End divider skid - right                         | 1               | 521 939.0                                | 521 939.0                                |
| Rivets                                           | 6               | 212 607.1                                | 212 607.1                                |

|                                       |       | MAXFLEX<br>1200<br>53500011-<br>53599999 | MAXFLEX<br>1050<br>53500011-<br>53599999 |
|---------------------------------------|-------|------------------------------------------|------------------------------------------|
| <b>Reel</b>                           |       |                                          |                                          |
| Reel tine kit                         |       | CL99995000                               | CL99995000                               |
| Outer bearing ring - reel spider      |       | 359 910.2                                | 359 910.2                                |
| Inner bearing ring - reel spider      |       | 359 911.2                                | 359 911.2                                |
| Bearing bushing - reel spider         |       | 359 912.3                                | 359 912.3                                |
| <b>Auger</b>                          |       |                                          |                                          |
| Auger finger kit                      |       | CL99995010                               | CL99995010                               |
| 5 auger fingers, guides with hardware |       |                                          |                                          |
| Speed reduction kit                   |       | 521 824.0                                | 521 824.0                                |
| 2 different gears                     |       |                                          |                                          |
| <b>Trough</b>                         |       |                                          |                                          |
| Ridged locking bolt                   | 13/11 | 238 419.0                                | 238 419.0                                |
| Washer                                |       | 234 377.0                                | 234 377.0                                |
| Lamellar plug                         | 13/11 | 217 645.0                                | 217 645.0                                |
| Rear wall grain pan kit               |       | CL99995440                               | CL99995430                               |
| <b>Contouring</b>                     |       |                                          |                                          |
| Ridged AUTO CONTOURING kit            |       | 523 197.0                                | 523 197.0                                |

# VARIO

## 1200/1050

|                                                                                      |                 | VARIO<br>1200<br>53300011-<br>53399999 | VARIO<br>1050<br>53300011-<br>53399999 |
|--------------------------------------------------------------------------------------|-----------------|----------------------------------------|----------------------------------------|
| <b>Cutting Bar</b>                                                                   | <b>Quantity</b> |                                        |                                        |
| Double finger guards - Center Overlap                                                | 2               | 519 601.0                              | 519 601.0                              |
| Double finger guards - Standard                                                      | 77/67           | 519 600.0                              | 519 600.0                              |
| Knife bar hold down                                                                  | 38/34           | 520 714.0                              | 520 714.0                              |
| Knife head hold down                                                                 | 2               | 520 713.1                              | 520 713.1                              |
| Semi-complete knife - Left <sup>1</sup>                                              | 1               | 519 615.1                              | 519 613.1                              |
| Semi-complete knife - Right <sup>1</sup>                                             | 1               | 519 635.1                              | 519 633.1                              |
| Shims                                                                                |                 | 673 753.1                              | 673 753.1                              |
| Knife head - Left                                                                    | 1               | 521 250.0                              | 521 250.0                              |
| Knife head - Right                                                                   | 1               | 521 253.0                              | 521 253.0                              |
| Knife section kit<br>10 SG sections with hardware                                    |                 | CL99995060                             | CL99995060                             |
| Knife overlapping section kit<br>10 beveled SG sections with<br>countersunk hardware |                 | CL99995130                             | CL99995130                             |
| Knife hardware kit - bolts/nuts                                                      |                 | CL99995080                             | CL99995080                             |
| Knife 1/2 end section - Left                                                         | 1               | 359 059.0                              | 359 059.0                              |
| Knife 1/2 end section - Right                                                        | 1               | 767 252.0                              | 767 252.0                              |
| Knife overload                                                                       |                 |                                        |                                        |
| Shear bolt                                                                           | 2               | 237 341.0                              | 237 341.0                              |
| Nut                                                                                  | 2               | 238 132.0                              | 238 132.0                              |
| Crop lifters                                                                         | 38/34           | 626 299.1                              | 626 299.1                              |
| Table extention                                                                      | 2               | 521 288.1                              | 521 288.1                              |
| PTO drive shaft - Canola setup                                                       |                 |                                        |                                        |

|                                          |                 | VARIO<br>1200<br>53300011-<br>53399999 | VARIO<br>1050<br>53300011-<br>53399999 |
|------------------------------------------|-----------------|----------------------------------------|----------------------------------------|
| <b>Vertical Side Knife</b>               | <b>Quantity</b> |                                        |                                        |
| Knife section                            | 36              | 616 109.0                              | 616 109.0                              |
| Countersunk rivet                        | 72              | 237 662.0                              | 237 662.0                              |
| Complete knife                           | 2               | 616 106.0                              | 616 106.0                              |
| Knife guide - upper/lower                | 4               | 616 105.0                              | 616 105.0                              |
| <b>Reel</b>                              |                 |                                        |                                        |
| Reel tine kit                            |                 | CL99995000                             | CL99995000                             |
| 5 tines with hardware                    |                 |                                        |                                        |
| Outer bearing ring - reel spider         |                 | 359 910.2                              | 359 910.2                              |
| Inner bearing ring - reel spider         |                 | 359 911.2                              | 359 911.2                              |
| Bearing bushing - reel spider            |                 | 359 912.3                              | 359 912.3                              |
| <b>Auger</b>                             |                 |                                        |                                        |
| Auger finger kit                         |                 | CL99995010                             | CL99995010                             |
| 5 auger fingers, guides with<br>hardware |                 |                                        |                                        |
| Speed reduction kit<br>2 different gears |                 | 521 824.0                              | 521 824.0                              |
| <b>Special Tools</b>                     |                 |                                        |                                        |
| Disassembling tool                       |                 | 753 518.0                              | 753 518.0                              |

# Corn Headers



|                                                                                                                     | 12-22 / 12-22c | 18-20 / 18-20c | 12-20 / 12-20c | 16-30      | 12-30 / 12/30c | 8-30 / 8-30c | 6-30       |
|---------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------|------------|----------------|--------------|------------|
| <b>Kits</b>                                                                                                         |                |                |                |            |                |              |            |
| Row Unit Knife Replacement Kit per row -<br>Nonchop Row knives, stripper knives                                     | CL99995250     | CL99995250     | CL99995250     | CL99995250 | CL99995250     | CL99995250   | CL99995250 |
| Row Unit Knife Replacement Kit per row -<br>Chopping Row knives, stripper knives                                    | CL99995260     | CL99995260     | CL99995260     | -          | CL99995260     | CL99995260   | -          |
| Row Unit Gathering Chain Kit - per row<br>Gathering chains, front sprocket assembly                                 | CL99995270     | CL99995270     | CL99995270     | CL99995280 | CL99995280     | CL99995280   | CL99995280 |
| Chopping Knives Replacement Kit - per row<br>Gathering chains, front sprocket assembly                              | CL99995350     | CL99995350     | CL99995350     | -          | CL99995290     | CL99995290   | -          |
| Complete Row Unit Repair Kit - Nonchop<br>All knives, deck plates, strippers, chains, front<br>sprocket, earsavers  | CL99995380     | CL99995380     | CL99995380     | CL99995370 | CL99995370     | CL99995370   | CL99995370 |
| Complete Row Unit Repair Kit - Chopping<br>All knives, deck plates, strippers, chains, front<br>sprocket, earsavers | CL99995410     | CL99995400     | CL99995400     | CL99995390 | CL99995390     | CL99995390   | -          |
| <b>Individual Parts – Drives</b>                                                                                    |                |                |                |            |                |              |            |
| Auger drive chain - Nonchop                                                                                         | -              | -              | -              | 976 956.0  | 560 523.0      | 560 523.0    | 560 523.0  |
| Auger drive chain - Chopping                                                                                        | -              | -              | -              | -          | 560 522.0      | 560 522.0    | -          |
| Row unit slip clutch - Complete                                                                                     | 933 956.1      | 933 956.1      | 933 956.1      | 933 956.1  | 933 956.1      | 933 956.1    | 933 956.1  |
| <b>Row Unit Parts</b>                                                                                               |                |                |                |            |                |              |            |
| Knife roller nonchop - Left - 450mm                                                                                 | 935 128.0      | 935 128.0      | 935 128.0      | 935 128.0  | 935 128.0      | 935 128.0    | 935 128.0  |
| Knife roller nonchop - Right - 450mm                                                                                | 935 127.0      | 935 127.0      | 935 127.0      | 935 127.0  | 935 127.0      | 935 127.0    | 935 127.0  |
| Knife roller chopping - Left - 400mm                                                                                | 560 437.0      | 560 437.0      | 560 437.0      | 560 437.0  | 560 437.0      | 560 437.0    | -          |
| Knife roller chopping - Right - 400mm                                                                               | 560 436.0      | 560 436.0      | 560 436.0      | 560 436.0  | 560 436.0      | 560 436.0    | -          |
| Snapping roller - Left                                                                                              | 935 725.0      | 935 725.0      | 935 725.0      | 935 725.0  | 935 725.0      | 935 725.0    | 935 725.0  |
| Snapping roller - Right                                                                                             | 935 724.0      | 935 724.0      | 935 724.0      | 935 724.0  | 935 724.0      | 935 724.0    | 935 724.0  |
| <b>Tire/Track Protection</b>                                                                                        |                |                |                |            |                |              |            |
| MAX STOMPER kit<br>2 complete assemblies, 1 kit is required for 30<br>inch, 2 kits required for 20/22 inch          | 527 084.0      | 527 084.0      | 527 084.0      | 527 084.0  | 527 084.0      | 527 084.0    | 527 084.0  |
| 1 Individual MAX STOMPER complete assembly                                                                          | 527 098.0      | 527 098.0      | 527 098.0      | 527 098.0  | 527 098.0      | 527 098.0    | 527 098.0  |

# Rakeup/SwathMaster

P516/P514

|                                       |          | P516               | P514               |
|---------------------------------------|----------|--------------------|--------------------|
|                                       |          | 43301011- 43399999 | 43301011- 43399999 |
| SwathMaster                           | Quantity |                    |                    |
| Poly tines kit                        |          | CL99995230         | CL99995230         |
| Tines with hardware                   |          |                    |                    |
| Steel tines                           | 364/322  | 561 362.0          | 561 362.0          |
| Tine support                          |          | 561 234.0          | 561 234.0          |
| Front conveyor belt without tines     | 9/8      | 561 361.0          | 561 361.0          |
| Front conveyor belt with tines        | 9/8      | 561 363.0          | 561 363.0          |
| Splice clamping kit                   | 18/16    | CL99995240         | CL99995240         |
| Profile with hardware                 |          |                    |                    |
| Rear conveyor belt                    | 9/8      | 666 289.0          | 666 289.0          |
| RakeUp                                |          |                    |                    |
| Poly tines                            | 192/216  | 666 257.0          | 666 257.0          |
| Steel tines                           | 192/216  | 561 233.0          | 561 233.0          |
| Tine support                          |          | 561 234.0          | 561 234.0          |
| Rear conveyor belt                    | 9/8      | 666 289.0          | 666 289.0          |
| Splice clamping kit                   | 9/8      | CL99995240         | CL99995240         |
| Profile with hardware                 |          |                    |                    |
| Auger                                 |          |                    |                    |
| Finger kit                            |          | CL99995190         | CL99995190         |
| 5 auger fingers, guides with hardware |          |                    |                    |

| Machine Types                         | 770 / 770<br>TERRA TRAC<br>C49           | 760 / 760<br>TERRA TRAC<br>C49    | 760 / 760<br>TERRA TRAC<br>C49    | 750 / 750<br>TERRA TRAC<br>C48                             | 750 /750<br>TERRA TRAC<br>C48                              | 740 / 740<br>TERRA TRAC<br>C48       | 740 / 740<br>TEERA TRAC<br>C48       | 730<br>C48                  | 730<br>C48                  | 670<br>C44                  | 670<br>C44                  |
|---------------------------------------|------------------------------------------|-----------------------------------|-----------------------------------|------------------------------------------------------------|------------------------------------------------------------|--------------------------------------|--------------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| <b>Engine</b>                         |                                          |                                   |                                   |                                                            |                                                            |                                      |                                      |                             |                             |                             |                             |
| Engine type                           | OM 502 TIER 3                            | CAT C13 TIER 3                    | CAT C13 TIER 4i                   | CAT C13 TIER 3                                             | CAT C13 TIER 4i                                            | CAT C9 TIER 3                        | CAT C9.3 TIER 4i                     | CAT C9 TIER 3               | CAT C9.3 TIER 4i            | CAT C9 TIER 3               | CAT C9.3 TIER 4i            |
| Filling quantity                      | 38 liters                                | 34 liters                         | 34 liters                         | 34 liters                                                  | 34 liters                                                  | 32 liters                            | 32 liters                            | 32 liters                   | 32 liters                   | 32 liters                   | 32 liters                   |
| CLAAS engine oil                      | AGRIMOT ULTRATEC 10W-40 (semi-synthetic) | AGRIMOT SDX 15W-40                | AGRIMOT SDX 15W-40                | AGRIMOT SDX 15W-40                                         | AGRIMOT SDX 15W-40                                         | AGRIMOT SDX 15W-40                   | AGRIMOT SDX 15W-40                   | AGRIMOT SDX 15W-40          | AGRIMOT SDX 15W-40          | AGRIMOT SDX 15W-40          | AGRIMOT SDX 15W-40          |
| CLAAS engine oil filter               | 068 710.1                                | 798 303.0                         | 798 303.0                         | 798 303.0                                                  | 798 303.0                                                  | 798 303.0                            | 798 303.0                            | 798 303.0                   | 798 303.0                   | 798 303.0                   | 798 303.0                   |
| Changing interval                     | 250 hours/annually                       | 500 hours/annually                | 500 hours/annually                | 500 hours/annually                                         | 500 hours/annually                                         | 500 hours/annually                   | 500 hours/annually                   | 500 hours/annually          | 500 hours/annually          | 500 hours/annually          | 500 hours/annually          |
| <b>Replacment Filters</b>             |                                          |                                   |                                   |                                                            |                                                            |                                      |                                      |                             |                             |                             |                             |
| Primary fuel filter                   | 068 709.0                                | 363 204.0                         | 799 208.0*                        | 363 204.0                                                  | 799 208.0*                                                 | 363 204.0                            | 799 208.0*                           | 363 204.0                   | 799 208.0*                  | 363 204.0                   | 799 208.0*                  |
| Fuel filter - Auxiliary tank          | 783 662.0                                | 783 662.0                         | 783 662.0                         | 783 662.0                                                  | 783 662.0                                                  | 783 662.0                            | 783 662.0                            | 783 662.0                   | 783 662.0                   | -                           | -                           |
| Fuel filter (hand pump)               | 077 445.0                                | -                                 | -                                 | -                                                          | -                                                          | -                                    | -                                    | -                           | -                           | -                           | -                           |
| Water separator                       | 796 213.0                                | 796 213.0                         | 799 209.0                         | 796 213.0                                                  | 799 209.0                                                  | 796 213.0                            | 799 209.0                            | 796 213.0                   | 799 209.0                   | 796 213.0                   | 799 209.0                   |
| Air filter - primary                  | 077 367.1                                | 077 367.1                         | 077 367.1                         | 077 367.1                                                  | 077 367.1                                                  | 077 367.1                            | 077 367.1                            | 077 367.1                   | 077 367.1                   | 077 367.1                   | 077 367.1                   |
| Inner safety filter                   | 077 382.1                                | 077 382.1                         | 077 382.1                         | 077 382.1                                                  | 077 382.1                                                  | 077 382.1                            | 077 382.1                            | 077 382.1                   | 077 382.1                   | 077 382.1                   | 077 382.1                   |
| Engine exhaust cooler filter          | 071 242.3                                | -                                 | -                                 | -                                                          | -                                                          | -                                    | -                                    | -                           | -                           | -                           | -                           |
| Changing interval                     | 500 hours/annually                       | 500 hours/annually                | 500 hours/annually                | 500 hours/annually                                         | 500 hours/annually                                         | 500 hours/annually                   | 500 hours/annually                   | 500 hours/annually          | 500 hours/annually          | 500 hours/annually          | 500 hours/annually          |
| <b>Hydraulic System</b>               |                                          |                                   |                                   |                                                            |                                                            |                                      |                                      |                             |                             |                             |                             |
| Filling quantity (oil change)         | 40 liters                                | 40 liters                         | 40 liters                         | 40 liters                                                  | 40 liters                                                  | 40 liters                            | 40 liters                            | 40 liters                   | 40 liters                   | 40 liters                   | 40 liters                   |
| CLAAS hydraulic oil                   | AGRIHYD HVLPD 46                         | AGRIHYD HVLPD 46                  | AGRIHYD HVLPD 46                  | AGRIHYD HVLPD 46                                           | AGRIHYD HVLPD 46                                           | AGRIHYD HVLPD 46                     | AGRIHYD HVLPD 46                     | AGRIHYD HVLPD 46            | AGRIHYD HVLPD 46            | AGRIHYD HVLPD 46            | AGRIHYD HVLPD 46            |
| Filter - primary on tank              | 510 054.1                                | 510 054.1                         | 510 054.1                         | 510 054.1                                                  | 510 054.1                                                  | 510 054.1                            | 510 054.1                            | 510 054.1                   | 510 054.1                   | 510 054.1                   | 510 054.1                   |
| Filter - return on tank               | 510 018.2                                | 510 018.2                         | 510 018.2                         | 510 018.2                                                  | 510 018.2                                                  | 510 018.2                            | 510 018.2                            | 510 018.2                   | 510 018.2                   | 510 018.2                   | 510 018.2                   |
| Changing interval                     | 1000 hours/annually                      | 1000 hours/ annually              | 1000 hours/annually               | 1000 hours/annually                                        | 1000 hours/annually                                        | 1000 hours/annually                  | 1000 hours/annually                  | 1000 hours/annually         | 1000 hours/annually         | 1000 hours/annually         | 1000 hours/annually         |
| <b>Gearboxes</b>                      |                                          |                                   |                                   |                                                            |                                                            |                                      |                                      |                             |                             |                             |                             |
| Transfer gearbox                      | 4.5 liters                               | 4.5 liters                        | 4.5 liters                        | 4.5 liters                                                 | 4.5 liters                                                 | 4.5 liters                           | 4.5 liters                           | 4.5 liters                  | 4.5 liters                  | 4.5 liters                  | 4.5 liters                  |
| Tranfer gearbox oil                   | AGRISHIFT SYN FE 75W-90                  | AGRISHIFT SYN FE 75W-90           | AGRISHIFT SYN FE 75W-90           | AGRISHIFT SYN FE 75W-90                                    | AGRISHIFT SYN FE 75W-90                                    | AGRISHIFT SYN FE 75W-90              | AGRISHIFT SYN FE 75W-90              | AGRISHIFT SYN FE 75W-90     | AGRISHIFT SYN FE 75W-90     | AGRISHIFT SYN FE 75W-90     | AGRISHIFT SYN FE 75W-90     |
| Transmission                          | 17 liters Wheeled<br>15 liters TT        | 17 liters Wheeled<br>15 liters TT | 17 liters Wheeled<br>15 liters TT | 11.6 liters Wheeled<br>9.7 liters TT<br>12 liter 25 mps TT | 11.6 liters Wheeled<br>9.7 liters TT<br>12 liter 25 mps TT | 11.6 liters Wheeled<br>9.7 liters TT | 11.6 liters Wheeled<br>9.7 liters TT | 11.6 liters                 | 11.6 liters                 | 11.6 liters                 | 11.6 liters                 |
| Final drive                           | 7.5 liters                               | 7.5 liters                        | 9.5 liters                        | 9.5 liters                                                 | 9.5 liters                                                 | 9.5 liters                           | 9.5 liters                           | 9.5 liters                  | 9.5 liters                  | 9.5 liters                  | 9.5 liters                  |
| Threshing cylinder gearbox            | 2.5 liters                               | 2.5 liters                        | 2.5 liters                        | 2.5 liters                                                 | 2.5 liters                                                 | 2.5 liters                           | 2.5 liters                           | 2.5 liters                  | 2.5 liters                  | 2.5 liters                  | 2.5 liters                  |
| Rotor gearbox                         | 1.4 liters (each)                        | 1.4 liters (each)                 | 1.4 liters (each)                 | 1.4 liters (each)                                          | 1.4 liters (each)                                          | 1.4 liters (each)                    | 1.4 liters (each)                    | 1.4 liters (each)           | 1.4 liters (each)           | -                           | -                           |
| Unloading auger gearbox               | 1.35 liters                              | 1.35 liters                       | 1.35 liters                       | 1.35 liters                                                | 1.35 liters                                                | 1.35 liters                          | 1.35 liters                          | 1.35 liters                 | 1.35 liters                 | -                           | -                           |
| CLAAS gearbox oil                     | AGRISHIFT MT 80W-90                      | AGRISHIFT MT 80W-90               | AGRISHIFT MT 80W-90               | AGRISHIFT MT 80W-90                                        | AGRISHIFT MT 80W-90                                        | AGRISHIFT MT 80W-90                  | AGRISHIFT MT 80W-90                  | AGRISHIFT MT 80W-90         | AGRISHIFT MT 80W-90         | AGRISHIFT MT 80W-90         | AGRISHIFT MT 80W-90         |
| <b>Cooling System</b>                 |                                          |                                   |                                   |                                                            |                                                            |                                      |                                      |                             |                             |                             |                             |
| Filling quantity (oil change)         | 64 liters                                | 45 liters                         | 45 liters                         | 45 liters                                                  | 45 liters                                                  | 40 liters                            | 40 liters                            | 40 liters                   | 40 liters                   | 40 liters                   | 40 liters                   |
| Antifreeze                            | AGRI-COOL Premix antifreeze              | AGRI-COOL Premix antifreeze       | AGRI-COOL Premix antifreeze       | AGRI-COOL Premix antifreeze                                | AGRI-COOL Premix antifreeze                                | AGRI-COOL Premix antifreeze          | AGRI-COOL Premix antifreeze          | AGRI-COOL Premix antifreeze | AGRI-COOL Premix antifreeze | AGRI-COOL Premix antifreeze | AGRI-COOL Premix antifreeze |
| Changing interval                     | 5 years                                  | 3000 hours or 2 years             | 3000 hours or 2 years             | 3000 hours or 2 years                                      | 3000 hours or 2 years                                      | 3000 hours or 2 years                | 3000 hours or 2 years                | 3000 hours or 2 years       | 3000 hours or 2 years       | 3000 hours or 2 years       | 3000 hours or 2 years       |
| Points of lubrication                 | CLAAS Agrigrease EP                      | CLAAS Agrigrease EP               | CLAAS Agrigrease EP               | CLAAS Agrigrease EP                                        | CLAAS Agrigrease EP                                        | CLAAS Agrigrease EP                  | CLAAS Agrigrease EP                  | CLAAS Agrigrease EP         | CLAAS Agrigrease EP         | CLAAS Agrigrease EP         | CLAAS Agrigrease EP         |
| <b>CLAAS TERRA TRAC</b>               |                                          |                                   |                                   |                                                            |                                                            |                                      |                                      |                             |                             |                             |                             |
| Front guide wheel hub                 | .5 liters                                | .5 liters                         | .5 liters                         | .5 liters                                                  | .5 liters                                                  | .5 liters                            | .5 liters                            | -                           | -                           | -                           | -                           |
| Middle support wheel hub              | .25 liters                               | .25 liters                        | .25 liters                        | .25 liters                                                 | .25 liters                                                 | .25 liters                           | .25 liters                           | -                           | -                           | -                           | -                           |
| Drive wheel transmission              | 31 liters Gen 3 TT                       | 31 liters Gen 3 TT                | 31 liters Gen 3 TT                | 25 liters Gen 2 TT<br>31 liters Gen 3 TT                   | 25 liters Gen 2 TT<br>31 liters Gen 3 TT                   | 25 liters Gen 2 TT                   | 25 liters Gen 2 TT                   | -                           | -                           | -                           | -                           |
| CLAAS TERRA TRAC oil                  | AGRISHIFT MT 80W-90                      | AGRISHIFT MT 80W-90               | AGRISHIFT MT 80W-90               | AGRISHIFT MT 80W-90                                        | AGRISHIFT MT 80W-90                                        | AGRISHIFT MT 80W-90                  | AGRISHIFT MT 80W-90                  | -                           | -                           | -                           | -                           |
| <b>Cab</b>                            |                                          |                                   |                                   |                                                            |                                                            |                                      |                                      |                             |                             |                             |                             |
| Air filter                            | 559 646.0                                | 559 646.0                         | 559 646.0                         | 559 646.0                                                  | 559 646.0                                                  | 559 646.0                            | 559 646.0                            | 559 646.0                   | 559 646.0                   | 559 646.0                   | 559 646.0                   |
| Heat filter                           | 559 308.0                                | 559 308.0                         | 559 308.0                         | 559 308.0                                                  | 559 308.0                                                  | 559 308.0                            | 559 308.0                            | 559 308.0                   | 559 308.0                   | 559 308.0                   | 559 308.0                   |
| Changing interval                     | 500 hours/annually                       | 500 hours/annually                | 500 hours/annually                | 500 hours/annually                                         | 500 hours/annually                                         | 500 hours/annually                   | 500 hours/annually                   | 500 hours/annually          | 500 hours/annually          | 500 hours/annually          | 500 hours/annually          |
| *May require more than one            |                                          |                                   |                                   |                                                            |                                                            |                                      |                                      |                             |                             |                             |                             |
|                                       | 700 Series                               | 670 Walker                        | MAXFLO Headers                    | VARIO<br>(side knife)                                      |                                                            |                                      |                                      |                             |                             |                             |                             |
| Hydraulic fluid tank filter - primary | 510 054.1                                | 510 054.1                         | 744 256.0                         | 679 409.0                                                  |                                                            |                                      |                                      |                             |                             |                             |                             |
| Hydraulic fliud tank filter - return  | 510 018.2                                | 510 018.2                         | -                                 | -                                                          |                                                            |                                      |                                      |                             |                             |                             |                             |

# A harvest ready LEXION in the shed is worth its weight in gold.

## Post-harvest inspection.

You expect your LEXION to perform at its peak during harvest. To ensure that your machine works reliably throughout the harvest it's important that regular service and wear parts are replaced. The CLAAS post-harvest inspections gives your dealer a chance to get a detailed inspection of your LEXION allowing early detection of wear and concealed damages – giving you piece of mind that your LEXION will be ready next year when you are.

## How you benefit from the post-harvest inspection.

- Detailed, indepth inspection of current condition of your LEXION by your dealer
- Documentation of CLAAS factory post harvest checklist with detailed service log
- Basis of cost estimate for necessary repairs
- Added assurance with CLAAS MAXI CARE® Service

# MAXI CARE®: Peace of mind




The idea behind CLAAS MAXI CARE® is to offer you maximum operational reliability, combined with maximum cost control. This extended protection program for your LEXION provides you with special coverage that goes beyond the standard 12 month factory warranty. Choose the package that best suits your needs, and lock in a low fixed cost for potential repairs. That way you keep the financial planning of your business under control and won't have to worry about unexpected repair bills.

MAXI CARE® offers a range of packages that provides you with service support tailored perfectly to the needs of your business following the standard 12 month factory warranty:

|             |                                                                                                                         |
|-------------|-------------------------------------------------------------------------------------------------------------------------|
| xtraCARE®:  | Extended protection program for complete machine protection equivalent to the standard factory warranty coverage        |
| sysCARE®:   | Extended protection program for major systems, e.g., electrical, hydraulic, drive, etc.                                 |
| driveCARE®: | Extended protection program for power train components, e.g., transmissions, hydrostatic drive systems, gearboxes, etc. |

## How you benefit from MAXI CARE®.

- Flexible scope of extended protection programs (xtraCARE®, sysCARE®, driveCARE®)
- Variable contract terms
- Exclusive use of ORIGINAL CLAAS parts



Ask your LEXION dealer for details of our complete packages.

LEXION  
CLAAS Service

# CLAAS Manuals: Information is power



## On Your Farm Parts: The parts you need, when you need them

|                            | 770       | 760       | 750       | 740       | 730       | 670       | Gen 2<br>TERRA<br>TRAC | Gen 3<br>TERRA TRAC | Tier 4<br>Engines | Color CEBIS |
|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|------------------------|---------------------|-------------------|-------------|
| <b>OMM</b>                 |           |           |           |           |           |           |                        |                     |                   |             |
| English                    | 291 111.2 | 291 111.2 | 291 111.2 | 291 111.2 | 291 111.2 | 291 111.2 | 291 403.1              | 291 406.2           | 291 400.1         | 295 762.0   |
| French                     | 291 112.2 | 291 112.2 | 291 112.2 | 291 112.2 | 291 112.2 | 291 112.2 | 291 404.1              | 291 407.2           | 291 401.1         | -           |
| Spanish                    | 291 113.2 | 291 113.2 | 291 113.2 | 291 113.2 | 291 113.2 | 291 113.2 | 291 405.1              | 291 408.2           | 291 402.1         | -           |
| <b>Parts<br/>Manuals</b>   |           |           |           |           |           |           |                        |                     |                   |             |
| English                    | 291 719.0 | 291 719.0 | 291 725.0 | 291 725.0 | 291 725.0 | 291 937.0 | -                      | -                   | -                 | -           |
| <b>Service<br/>Manuals</b> |           |           |           |           |           |           |                        |                     |                   |             |
| Repair                     | 291 296.1 | 291 296.1 | 291 102.1 | 291 102.1 | 291 102.1 | 291 102.1 | -                      | -                   | -                 | -           |
| Tech<br>Systems            | 291 296.1 | 291 296.1 | 291 296.1 | 291 296.1 | 291 296.1 | 291 296.1 | -                      | -                   | -                 | -           |

|                          | Corn Head<br>16 - 30 | Corn Head<br>12 - 30<br>8 - 30<br>6 - 30 | Chopping<br>Corn Heads | G750      | VARIO<br>900 | VARIO<br>1200<br>1050 | MAXFLO<br>1200<br>1050 | SwathMaster<br>RackUp | Flex Heads<br>F900<br>F750 | MAXFLEX<br>1200<br>1050 |
|--------------------------|----------------------|------------------------------------------|------------------------|-----------|--------------|-----------------------|------------------------|-----------------------|----------------------------|-------------------------|
| <b>OMM</b>               |                      |                                          |                        |           |              |                       |                        |                       |                            |                         |
| English                  | 291 582.0            | 291 582.0                                | 294 066.0              | 293 435.5 | 295 267.0    | 291 448.0             | 291 173.0              | 293 796.5             | 291 450.0                  | 291 450.0               |
| French                   | -                    | -                                        | -                      | -         | 295 268.0    | -                     | -                      | -                     | -                          | -                       |
| Spanish                  | -                    | -                                        | -                      | -         | 295 269.0    | 295 269.0             | -                      | -                     | -                          | -                       |
| <b>Parts<br/>Manuals</b> |                      |                                          |                        |           |              |                       |                        |                       |                            |                         |
| English                  | 293 890.4            | 298 357.6                                | -                      | -         | 295 451.3    | 291 590.0             | 291 174.0              | 293 924.6             | 291 308.0                  | 291 308.0               |
| Tech<br>Systems          | -                    | -                                        | -                      | -         | -            | -                     | 291 420.0              | -                     | -                          | -                       |

Here's how it works.

1. You and your dealer decide which parts are to be included
2. You place the parts order
3. You use the parts as you need them throughout the harvest season
4. You pay for the parts after the season

It's really that simple!

| Pre - harvest                                  | Harvest                 | Post - harvest     |
|------------------------------------------------|-------------------------|--------------------|
| Inspect your machine<br>Place your parts order | Install parts as needed | Pay for your parts |

Dealers should consult the latest CLAAS Parts Bulletin for details.  
\* Available at participating dealers only. Some restrictions or pre-qualifications may apply. Ask your CLAAS dealer for details.

# CLAAS Tools: Professional Grade

CLAAS offers over 2000 professional grade hand tools through our partnership with KING TONY America. All these tools are distributed through the CLAAS Parts System for easy ordering and maximum confidence. See your local CLAAS dealer for details.

**Hand Wrenches**

|                                                 |        |           |
|-------------------------------------------------|--------|-----------|
| 13 piece combination wrench set                 | Metric | CLA1203MR |
| 13 piece combination wrench set                 | SAE    | CLA1203SR |
| 12 piece, 12 point combination speed wrench set | Metric | CLA1201MR |
| 11 piece, 12 point combination speed wrench set | SAE    | CLA1210SR |

**Socket Sets**

|                                                          |              |           |
|----------------------------------------------------------|--------------|-----------|
| 43 piece 1/2 inch drive, 12 point combination socket set | Metric & SAE | CLA4004CR |
| 43 piece 1/2 inch drive, 6 point combination socket set  | Metric & SAE | CLA4504CR |
| 11 piece 1/2 inch drive, 6 point impact sockets          | Metric       | CLA4401MP |

**Misc Speciality Tools**

|                                  |           |
|----------------------------------|-----------|
| CLAAS panel wrench               | 736 429.1 |
| Variator belt removal bolts      | 236 302.0 |
| Spring tensioner removal nut     | 249 569.0 |
| Gib key puller - Straight, large | 181 832.1 |
| Gib key puller - Straight, small | 238 319.1 |
| Gib key puller - Elbow           | 181 834.1 |
| Concave adjustment tool, 4 mm    | 174 881.0 |
| Concave adjustment tool, 7 mm    | 174 880.0 |
| 2 - Speed gear box filling chute | 669 885.0 |
| Grease Gun with metric tip       | 177 372.0 |
| Metric grease tip with hose      | 177 386.0 |

**Electrical**

|                                             |           |
|---------------------------------------------|-----------|
| European style single in-cab connector plug | 658 230.0 |
| 3 pin in-cab connector plug                 | 11382110  |
| Angle sensor readout harness                | 174 689.0 |

# The new LEXION at a glance



The new LEXION at a glance.

## Notes

## Notes

## Notes

CLAAS of America Inc.  
Parts Distribution Center  
3030 Norcross Drive  
Columbus, IN 47201  
[www.claasofamerica.com](http://www.claasofamerica.com)  
10.11/English/COA