



LEXION 780-670 models

CLAAS ORIGINAL

Spare parts for LEXION combines.

CLAAS



Product range

MODEL	CLASS	Machine type	HP (Rated / Max)	GRAIN TANK (bu.)
LEXION 780 TT	10	C69	540 / 576	385
LEXION 780	10	C69	540 / 576	360
LEXION 760 TT	8	C69	503 / 543	360
LEXION 760	8	C69	503 / 543	360
LEXION 750 TT	8	C68	456 / 436	330
LEXION 750	8	C68	456 / 436	330
LEXION 740 TT	7	C68	402 / 394	300/330 opt.
LEXION 740	7	C68	402 / 394	300/330 opt.
LEXION 730P	7	C68	348 / 375	300/330 opt.
LEXION 730	7	C68	320 / 354	300/330 opt.
LEXION 670 TT	7	C67	375 / 400	300/330 opt.
LEXION 670	7	C67	375 / 400	300/330 opt.

LEXION 780 TT

Engine		Detail / Part No.
1	Motor type	DC OM 502 LA
	Fill-up quantity	38 L
2	CLAAS engine oil	CLAAS AGRIMOT ULTRATEC 10W-40 / CLAAS AGRIMOT ULTRATEC FE 5W-30*
	CLAAS engine oil filter	068 710 1
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0773 314 0
	CLAAS pre-fuel filter with water separator (optional)	0796 214 1
	CLAAS fuel filter (manual lift pump)	0077 445 0
	CLAAS fuel main filter	0068 709 0
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1990 308 0
	Exchange filter	1000 hour

Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90









Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
5	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	12 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Powered Rear Axle		Detail / Part No.
	Differential	12 L
	Planetary gear	1.7 L each
	Stub axle	0.25 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Battery		Detail / Part No.
		0017 259 1 (x3)

*Refer to the Operators Manual.



Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90

Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	Bio chain oil hees 46

Coolant System	Detail / Part No.
Fill-up quantity	68L
6 Cooling liquid	CLAAS AGRI-COOL
Exchange cooling liquid	5 year

Automatic Lubrication System
7 12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)

APS Threshing	Detail / Part No.
APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 0 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0

Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x108)
Knives PRO CHOP HD	0553 860 0 (x108)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
MAV	0353 195 0 (x60)

CLAAS TERRA TRAC	Detail / Part No.
Transmission for drive wheels	36 L per gearbox
Middle support wheel hubs	0.25 L per hub
Front guide wheel hubs (steel wheels)	0.5 L per hub
Rocker arm (cast iron wheels)	1.5 L per rocker arm
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

LEXION 780

Engine		Detail / Part No.
1	Motor type	DC OM 502 LA
	Fill-up quantity	38 L
2	CLAAS engine oil	CLAAS AGRIMOT ULTRATEC 10W-40 / CLAAS AGRIMOT ULTRATEC FE 5W-30*
	CLAAS engine oil filter	068 710 1
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0773 314 0
	CLAAS pre-fuel filter with water separator (optional)	0796 214 1
	CLAAS fuel filter (manual lift pump)	0077 445 0
	CLAAS fuel main filter	0068 709 0
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1990 308 0
	Exchange filter	1000 hour









Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
3	CLAAS hydraulic oil	CLAAS AGRIHYD HVLPD 46
4	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	12 L
	CLAAS transmission oil	With diff lock - CLAAS AGRISHIFT BLS 80W-90 Without diff lock - CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Powered Rear Axle		Detail / Part No.
	Differential	12 L
	Planetary gear	1.7 L each
	Stub axle	0.25 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

*Refer to the Operators Manual.



Battery	Detail / Part No.
5	0017 259 1 (x3)
Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	Bio chain oil hees 46

Coolant System	Detail / Part No.
Fill-up quantity	68L
6 Cooling liquid	CLAAS AGRI-COOL
Exchange cooling liquid	5 year

Automatic Lubrication System
7 12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)









APS Threshing	Detail / Part No.
8 APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 0 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0

Residue Management	Detail / Part No.
Knives PRO CHOP std	0736 872 0 (x108)
Knives PRO CHOP HD	0553 860 0 (x108)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
MAV	0353 195 0 (x60)

LEXION 760 TT

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC 10W-30*
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually
Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0799 209 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually
Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
4	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
5	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually
Front Drive Axle		Detail / Part No.
	Differential	12 L
6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Battery		Detail / Part No.
		0016 046 0











Header Drive		Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X		2.3 L
7	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X		1.0 L
4	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X		2.5 L
CLAAS transmission oil		CLAAS AGRISHIFT 4 SC 80W-90
Other Gearbox		Detail / Part No.
Rotor 00 0670 730 X		1,2 L
Rotor 00 0670 731 X		1,2 L
6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission		1.35 L each
6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump		1.0 L each
Oil		Bio chain oil hees 46
Coolant System		Detail / Part No.
Fill-up quantity		72 L
Cooling liquid		CLAAS AGRI-COOL
Exchange cooling liquid		5 year

Automatic Lubrication System	
12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)	
APS Threshing	Detail / Part No.
APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 0 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0
Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x108)
Knives PRO CHOP HD	0553 860 0 (x108)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
MAV	0353 195 0 (x60)
CLAAS TERRA TRAC	Detail / Part No.
Transmission for drive wheels	36 L per gearbox
Middle support wheel hubs	0.25 L per hub
Front guide wheel hubs (steel wheels)	0.5 L per hub
Rocker arm (cast iron wheels)	1.5 L per rocker arm
6 CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

LEXION 760

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC 10W-30*
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually
Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0799 209 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually
Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually
Front Drive Axle		Detail / Part No.
	Differential	12 L
	CLAAS transmission oil	With diff lock - CLAAS AGRISHIFT BLS 80W-90 Without diff lock - CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90



Battery	Detail / Part No.
5	0016 046 0

Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90

Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	Bio chain oil hees 46

Coolant System	Detail / Part No.
Fill-up quantity	72 L
6 Cooling liquid	CLAAS AGRI-COOL
Exchange cooling liquid	5 year

Automatic Lubrication System
12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)









APS Threshing	Detail / Part No.
7 APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 0 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0

Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x108)
Knives PRO CHOP HD	0553 860 0 (x108)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
MAV	0353 195 0 (x60)

LEXION 750 TT

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC 10W-30*
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually
Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0799 209 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually
Engine Air Filters		Detail / Part No.
	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
3	CLAAS hydraulic oil	CLAAS AGRIHYP HVLPD 46
4	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually
Front Drive Axle		Detail / Part No.
	Differential	12 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Battery		Detail / Part No.
6		0016 046 0











Header Drive		Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X		2.3 L
5	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X		1.0 L
CLAAS transmission oil		CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X		2.5 L
CLAAS transmission oil		CLAAS AGRISHIFT 4 SC 80W-90
Other Gearbox		Detail / Part No.
Rotor 00 0670 730 X		1,2 L
Rotor 00 0670 731 X		1,2 L
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission		1.35 L each
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump		1.0 L each
Oil		Bio chain oil hees 46
Coolant System		Detail / Part No.
Fill-up quantity		72 L
Cooling liquid		CLAAS AGRI-COOL
Exchange cooling liquid		5 year

Automatic Lubrication System		
7	12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)	
APS Threshing		Detail / Part No.
APS grate 6.5 x 40 smooth		0777 216 0 (x3)
APS grate 6.5 x 40 w/ key stock		0757 445 0 (x3)
APS grate 10 x 40 wire		0777 238 1 (x3)
APS grate 12 x 40		0757 427 0 (x3)
APS grate 19 x 40		0757 441 0 (x3)
APS grate roundbar		1809 068 0 (x3)
Pre-concave blocking plate		CL99995210
Main cover blocking plate		0356 728 0
Residue Management		Detail / Part No.
8	Knives PRO CHOP std	0736 872 0 (x72)
Knives PRO CHOP HD		0553 860 0 (x72)
Knives TURBO CHOP std		0353 195 0 (x72)
Knives TURBO CHOP HD		1815 999 0 (x72)
MAV		0353 195 0 (x52)
CLAAS TERRA TRAC		Detail / Part No.
Transmission for drive wheels		36 L per gearbox
Middle support wheel hubs		0.25 L per hub
Front guide wheel hubs (steel wheels)		0.5 L per hub
Rocker arm (cast iron wheels)		1.5 L per rocker arm
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Exchange interval		500 hour / annually

LEXION 750

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC 10W-30*
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually
Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0799 209 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually
Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually
Front Drive Axle		Detail / Part No.
	Differential	7.7 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Battery		Detail / Part No.
5		0016 046 0



Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	Bio chain oil hees 46

Coolant System	Detail / Part No.
Fill-up quantity	72 L
6 Cooling liquid	CLAAS AGRI-COOL
Exchange cooling liquid	5 year
Automatic Lubrication System	
7 12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)	
APS Threshing	Detail / Part No.
8 APS grate 6.5 x 40 smooth	0777 216 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 445 0 (x3)
APS grate 10 x 40 wire	0777 238 1 (x3)
APS grate 12 x 40	0757 427 0 (x3)
APS grate 19 x 40	0757 441 0 (x3)
APS grate roundbar	1809 068 0 (x3)
Pre-concave blocking plate	CL99995210
Main cover blocking plate	0356 728 0
Residue Management	Detail / Part No.
Knives PRO CHOP std	0736 872 0 (x72)
Knives PRO CHOP HD	0553 860 0 (x72)
Knives TURBO CHOP std	0353 195 0 (x72)
Knives TURBO CHOP HD	1815 999 0 (x72)
MAV	0353 195 0 (x52)

LEXION 740 TT

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC 10W-30*
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0799 209 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1

Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRIHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually









Front Drive Axle		Detail / Part No.
	Differential	12 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Battery		Detail / Part No.
5		0016 046 0

Header Drive		Detail / Part No.
	2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
6	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
	2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
	Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90

*Refer to the Operators Manual.



Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	Bio chain oil hees 46

Coolant System	Detail / Part No.
Fill-up quantity	72 L
Cooling liquid	CLAAS AGRI-COOL
Exchange cooling liquid	5 year

Automatic Lubrication System
6 12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)

APS Threshing	Detail / Part No.
7 APS grate 6.5 x 40 smooth	0777 216 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 445 0 (x3)
APS grate 10 x 40 wire	0777 238 1 (x3)
APS grate 12 x 40	0757 427 0 (x3)
APS grate 19 x 40	0757 441 0 (x3)
APS grate roundbar	1809 068 0 (x3)
Pre-concave blocking plate	CL99995210
Main cover blocking plate	0356 728 0

Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x72)
Knives PRO CHOP HD	0553 860 0 (x72)
Knives TURBO CHOP std	0353 195 0 (x72)
Knives TURBO CHOP HD	1815 999 0 (x72)
MAV	0353 195 0 (x52)









CLAAS TERRA TRAC	Detail / Part No.
Transmission for drive wheels	36 L per gearbox
Middle support wheel hubs	0.25 L per hub
Front guide wheel hubs (steel wheels)	0.5 L per hub
Rocker arm (cast iron wheels)	1.5 L per rocker arm
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

LEXION 740

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC 10W-30*
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually
Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0799 209 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually
Engine Air Filters		Detail / Part No.
	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
3	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRIHYP HVLPD 46
5	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually
Front Drive Axle		Detail / Part No.
	Differential	7.7 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Battery		Detail / Part No.
		0016 046 0

*Refer to the Operators Manual.



Header Drive		Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X		2.3 L
6	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X		1.0 L
3	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X		2.5 L
CLAAS transmission oil		CLAAS AGRISHIFT 4 SC 80W-90
Other Gearbox		Detail / Part No.
Rotor 00 0670 730 X		1,2 L
Rotor 00 0670 731 X		1,2 L
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission		1.35 L each
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump		1.0 L each
Oil		Bio chain oil hees 46

Coolant System		Detail / Part No.
Fill-up quantity		72 L
Cooling liquid		CLAAS AGRI-COOL
Exchange cooling liquid		5 year

Automatic Lubrication System	
7	12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)

APS Threshing		Detail / Part No.
APS grate 6.5 x 40 smooth		0777 216 0 (x3)
APS grate 6.5 x 40 w/ key stock		0757 445 0 (x3)
APS grate 10 x 40 wire		0777 238 1 (x3)
APS grate 12 x 40		0757 427 0 (x3)
APS grate 19 x 40		0757 441 0 (x3)
APS grate roundbar		1809 068 0 (x3)
Pre-concave blocking plate		CL99995210
Main cover blocking plate		0356 728 0

Residue Management		Detail / Part No.
8	Knives PRO CHOP std	0736 872 0 (x72)
Knives PRO CHOP HD		0553 860 0 (x72)
Knives TURBO CHOP std		0353 195 0 (x72)
Knives TURBO CHOP HD		1815 999 0 (x72)
MAV		0353 195 0 (x52)

LEXION 730/730P

Engine		Detail / Part No.
1	Motor type	Mercedes OM470 TIER 4f
	Fill-up quantity	39 L
2	CLAAS engine oil	CLAAS AGRIMOT ULTRATEC 10W-40 / CLAAS AGRIMOT ULTRATEC FE 5W-30*
	CLAAS engine oil filter	0773 187 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0 781 149 1
	CLAAS fuel filter (manual lift pump)	0077 445 0
	CLAAS fuel main filter	0773 185 0
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	0773 311 0
	Exchange filter	1000 hour


Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRIHYP HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (at pump)	0969 810 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	7.7 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Battery		Detail / Part No.
5		0017 259 1 (x3)



Header Drive		Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X		2.3 L
6	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X		1.0 L
CLAAS transmission oil		CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X		2.5 L
CLAAS transmission oil		CLAAS AGRISHIFT 4 SC 80W-90
Other Gearbox		Detail / Part No.
Rotor 00 0670 730 X		1,2 L
Rotor 00 0670 731 X		1,2 L
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission		1.35 L each
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump		1.0 L each
Oil		Bio chain oil hees 46

Coolant System		Detail / Part No.
Fill-up quantity		68 L
Cooling liquid		CLAAS AGRI-COOL II
Exchange cooling liquid		5 year

Automatic Lubrication System	
12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)	









APS Threshing		Detail / Part No.
7	APS grate 6.5 x 40 smooth	0777 216 0 (x3)
	APS grate 6.5 x 40 w/ key stock	0757 445 0 (x3)
	APS grate 10 x 40 wire	0777 238 1 (x3)
	APS grate 12 x 40	0757 427 0 (x3)
	APS grate 19 x 40	0757 441 0 (x3)
	APS grate roundbar	1809 068 0 (x3)
	Pre-concave blocking plate	CL99995210
	Main cover blocking plate	0356 728 0

Residue Management		Detail / Part No.
8	Knives PRO CHOP std	0736 872 0 (x72)
	Knives PRO CHOP HD	0553 860 0 (x72)
	Knives TURBO CHOP std	0353 195 0 (x72)
	Knives TURBO CHOP HD	1815 999 0 (x72)
	MAV	0353 195 0 (x52)

LEXION 670 TT

Engine		Detail / Part No.
1	Motor type	CAT C9.3 TIER 4i
	Fill-up quantity	28 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC 10W-30*
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually
Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0799 209 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually
Engine Air Filters		Detail / Part No.
	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
3	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
4	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS Return Fluid Filter (at tank)	0510 089 0 (check config)
	Exchange interval	1000 hour / annually
Front Drive Axle		Detail / Part No.
	Differential	7.7 L
5	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Battery		Detail / Part No.
6		0016 046 0











Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
5 CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	Bio chain oil hees 46
Coolant System	Detail / Part No.
Fill-up quantity	52 L
Cooling liquid	CLAAS AGRI-COOL
Exchange cooling liquid	5 year

Automatic Lubrication System	
7	12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)
APS Threshing	Detail / Part No.
APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 0 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0
Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x88)
Knives PRO CHOP HD	0553 860 0 (x88)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
MAV	0353 195 0 (x60)
CLAAS TERRA TRAC	Detail / Part No.
Transmission for drive wheels	36 L per gearbox
Middle support wheel hubs	0.25 L per hub
Front guide wheel hubs (steel wheels)	0.5 L per hub
Rocker arm (cast iron wheels)	1.5 L per rocker arm
5 CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

LEXION 670

Engine		Detail / Part No.
1	Motor type	CAT C9.3 TIER 4i
	Fill-up quantity	28 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC 10W-30*
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually
Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	0799 209 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually
Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
4	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS Return Fluid Filter (at tank)	0510 089 0 (check config)
	Exchange interval	1000 hour / annually
Front Drive Axle		Detail / Part No.
	Differential	7.7 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Battery		Detail / Part No.
5		0016 046 0



Header Drive		Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X		2.3 L
6	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X		1.0 L
4	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X		2.5 L
CLAAS transmission oil		CLAAS AGRISHIFT 4 SC 80W-90
Other Gearbox		Detail / Part No.
Rotor 00 0670 730 X		1,2 L
Rotor 00 0670 731 X		1,2 L
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission		1.35 L each
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump		1.0 L each
Oil		Bio chain oil hees 46

Coolant System		Detail / Part No.
Fill-up quantity		52 L
Cooling liquid		CLAAS AGRI-COOL
Exchange cooling liquid		5 year
Automatic Lubrication System		
7	12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)	
APS Threshing		Detail / Part No.
8	APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock		0757 443 0 (x3)
APS grate 10 x 40 wire		0777 249 1 (x3)
APS grate 12 x 40		0757 414 0 (x3)
APS grate 19 x 40		0757 439 0 (x3)
APS grate roundbar		1809 067 0 (x3)
Pre-concave blocking plate		CL99995220
Main cover blocking plate		0356 729 0
Residue Management		Detail / Part No.
Knives PRO CHOP std		0736 872 0 (x88)
Knives PRO CHOP HD		0553 860 0 (x88)
Knives TURBO CHOP std		0353 195 0 (x88)
Knives TURBO CHOP HD		1815 999 0 (x88)
MAV		0353 195 0 (x60)

Whatever it takes.
CLAAS Service & Parts.





Whatever it takes – CLAAS Service & Parts.

Your needs matter.

You can always rely on us: we'll be there whenever you need us – everywhere, quickly and reliably, around the clock if necessary, with precisely the solution that your machine or business requires.

Reliability can be planned.

With our service products, you can increase your machine reliability, minimize your risk of breakdowns, and budget with confidence. CLAAS MAXI CARE offers planned reliability for your machine.



Always up to date.

CLAAS dealer service teams are trained by CLAAS and equipped with the all-important special tools and diagnostic systems to meet all your expectations with regard to expertise and reliability.

Problem solving by remote diagnostics: CLAAS TELEMATICS.

CLAAS TELEMATICS on your machine brings two important advantages: fast assistance from CLAAS service technicians and a more profitable operation, thanks to wireless networking. We can be there, on the spot, to solve your problem – even when you can't see us.


ON YOUR FARM PARTS.

CLAAS ON YOUR FARM PARTS allows you to customize a selection of parts on your farm in order to get you back up and running in minimal time. Buy now – pay after the harvest – it's that simple. Ask your participating dealer for details.



ORIGINAL parts and accessories.


Specially matched to your machine: precision-manufactured parts, high-quality consumables and useful accessories. We will supply exactly the right solution from our comprehensive product range to ensure that your machine is 100% reliable.



The CLAAS Parts Logistics Center in Columbus, Indiana, stocks more than 36,000 part numbers in a warehouse area of over 165,000 sq ft.

Worldwide coverage from Columbus, Regina, and Hamm.

The CLAAS of America Parts Logistics Centers in Columbus, Indiana and Regina, Saskatchewan, provide world-class parts support throughout North America for all CLAAS products. Supported by the CLAAS worldwide spare parts depot in Hamm, Germany, we provide the CLAAS dealer network with reliable, consistent parts availability and industry leading responsiveness. Your local CLAAS dealer can supply the right parts solution for your business to maximize machine uptime.



The CLAAS Parts Logistics Center in Regina Saskatchewan, stocks more than 14,000 part numbers in a warehouse area of over 33,000 sq ft.