

LEXION 780-670 models

CLAAS ORIGINAL



Product range

MODEL	Machine type
LEXION 780 TT	C79
LEXION 780	C79
LEXION 760 TT	C79
LEXION 760	C79
LEXION 750 TT	C78
LEXION 750	C78
LEXION 740 TT	C78
LEXION 740	C78
LEXION 730P	C78
LEXION 730	C78
LEXION 670 TT	C77
LEXION 670	C77

LEXION 780 TT

Engine	Detail / Part No.
1 Motor type	Mercedes OM473 TIER 4f
Fill-up quantity	45 L
2 CLAAS engine oil	CLAAS AGRIMOT ULTRATEC 10W-40 / CLAAS AGRIMOT ULTRATEC FE 5W-30*
CLAAS engine oil filter	1996 588 0
Exchange engine oil and oil filter	500 hour / annually

Fuel System	Detail / Part No.
CLAAS pre-fuel filter	2402 501 0
CLAAS fuel main filter	1996 153 0
Exchange filter	500 hour / annually

Engine Air Filters	Detail / Part No.
3 CLAAS air filter cartridge	2402 271 0
CLAAS security cartridge	0773 037 0
Exchange filter	500 hour / annually

Exhaust Gas Treatment	Detail / Part No.
CLAAS urea filter cartridge	1999 948 0
Exchange filter	2 years

Transfer Gearbox	Detail / Part No.
Engine output gearbox	4.5 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System	Detail / Part No.
Fill-up quantity for oil change	40L
4 CLAAS hydraulic oil	CLAAS AGRIHYD HVLPD 46
5 CLAAS hydraulic oil filter (at tank)	0510 054 1

CLAAS aeration filter (at tank)	0668 943 1
CLAAS hydraulic oil filter (high pressure)	0510 085 2
CLAAS Return Fluid Filter (at tank)	0510 089 0
Exchange interval	1000 hour / annually

Front Drive Axle	Detail / Part No.
Differential	12 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Final drive	7,5 L (2x)
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

Powered Rear Axle	Detail / Part No.
Differential	12 L
Planetary gear	1.7 L each
Wheel hub	0.25 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

Battery	Detail / Part No.
	0017 259 1 (x3)

Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90

*Refer to the Operators Manual.

1

2

3

4

5

6

7

8

2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval	500 hour / annually
Other Gearbox	
Detail / Part No.	
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Radial spreader gear 00 0665 341 X	0.75 L
Radial spreader gear 00 0665 342 X	0.75 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	AGRIHYD XTREME 46
Exchange interval	500 hour / annually
Coolant System	
Detail / Part No.	
Fill-up quantity	90L
6 Cooling liquid	CLAAS AGRICOOL SI-OAT 50
Exchange cooling liquid	3 years

Automatic Lubrication System

- 7 12 kg CLAAS AGRIGREASE EP 3 / EP2
(see operators manual)

APS Threshing	Detail / Part No.
APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS Grate 10 x 40 wire - high wear	1809 809 0 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 1 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0

Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x108)
Knives PRO CHOP HD	0553 860 1 (x108)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
Knives Standard Chop - std	0353 195 0 (x64)

CLAAS TERRA TRAC	Detail / Part No.
Transmission for drive wheels	36 L per gearbox
Middle support wheel hubs	0.25 L per hub
Front guide wheel hubs (steel wheels)	0.5 L per hub
Rocker arm (cast iron wheels)	1.5 L per rocker arm
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

After Sales Kits

LEXION 780 TT

Class: 10 / Machine Type: C79

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297500	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022477	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022481	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044020	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564430	E14 0020		upper and lower
Corn Sieves	7564940	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282320	G02 0242		
Straw Spreader No Chop	7282080	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157900	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299480	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	1403072	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 780 TT

Class: 10 / Machine Type: C79

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE + TT NO CHOPPER	7281980	R02 0030		
CENTRAL LUBE 4WD AXLE + TT NO CHOPPER	7281990	R02 0035		
CENTRAL LUBE 2WD AXLE + TT + CHOPPER	7282000	R02 0040		
CENTRAL LUBE 4WD AXLE + TT + CHOPPER	7282010	R02 0045		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282510	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282530	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 780

Engine	Detail / Part No.
1 Motor type	Mercedes OM473 TIER 4f
Fill-up quantity	45 L
2 CLAAS engine oil	CLAAS AGRIMOT ULTRATEC 10W-40 / CLAAS AGRIMOT ULTRATEC FE 5W-30*
CLAAS engine oil filter	1996 588 0
Exchange engine oil and oil filter	500 hour / annually

Fuel System	Detail / Part No.
CLAAS pre-fuel filter	2402 501 0
CLAAS fuel main filter	1996 153 0
Exchange filter	500 hour / annually

Engine Air Filters	Detail / Part No.
3 CLAAS air filter cartridge	2402 271 0
CLAAS security cartridge	0773 037 0
Exchange filter	500 hour / annually

Exhaust Gas Treatment	Detail / Part No.
CLAAS urea filter cartridge	1999 948 0
Exchange filter	2 years









Transfer Gearbox	Detail / Part No.
Engine output gearbox	4.5 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System	Detail / Part No.
Fill-up quantity for oil change	40L
3 CLAAS hydraulic oil	CLAAS AGRIHYD HVLPD 46
4 CLAAS hydraulic oil filter (at tank)	0510 054 1
CLAAS aeration filter (at tank)	0668 943 1
CLAAS hydraulic oil filter (high pressure)	0510 085 2
CLAAS return fluid filter (at tank)	0510 089 0
Exchange interval	1000 hour / annually

Front Drive Axle	Detail / Part No.
Differential	12 L
CLAAS transmission oil	With diff lock - CLAAS AGRISHIFT BLS 80W-90 Without diff lock - CLAAS AGRISHIFT MT 80W-90
Final drive	7,5 L (2x)
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

Powered Rear Axle	Detail / Part No.
Differential	7.5 L
Planetary gear	1.7 L each
Wheel hub	0.25 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

Battery	Detail / Part No.
5	0017 259 1 (x3)



Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval	500 hour / annually

Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Radial spreader gear 00 0665 341 X	0.75 L
Radial spreader gear 00 0665 342 X	0.75 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-9
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	AGRIHYD XTREME 46
Exchange interval	500 hour / annually

Coolant System	Detail / Part No.
Fill-up quantity	90L
6 Cooling liquid	CLAAS AGRICOOOL SI-OAT 50
Exchange cooling liquid	3 years

Automatic Lubrication System
7 12 kg CLAAS Agrigrease EP 3 / EP2 (see operators manual)

APS Threshing	Detail / Part No.
8 APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS Grate 10 x 40 wire - high wear	1809 809 0 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 1 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0

Residue Management	Detail / Part No.
Knives PRO CHOP std	0736 872 0 (x108)
Knives PRO CHOP HD	0553 860 1 (x108)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
Knives Standard Chop - std	0353 195 0 (x64)

After Sales Kits

LEXION 780

Class: 10 / Machine Type: C79

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297500	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022477	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022481	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044020	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564430	E14 0020		upper and lower
Corn Sieves	7564940	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282320	G02 0242		
Straw Spreader No Chop	7282080	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157900	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299480	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	1403072	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 780

Class: 10 / Machine Type: C79

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE NO CHOPPER	7281940	R02 0010		
CENTRAL LUBE 4WD AXLE NO CHOPPER	7281950	R02 0015		
CENTRAL LUBE 2WD AXLE + CHOPPER	7281960	R02 0020		
CENTRAL LUBE 4WD AXLE + CHOPPER	7281970	R02 0025		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282510	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282530	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 760 TT

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC FE 10W-30
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2599 998 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1150 365 0
	Exchange filter	2 years

Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
4	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRIHYD HVLPD 46
5	CLAAS hydraulic oil filter (at tank)	0510 054 1









	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (high pressure)	0510 085 2
	CLAAS Return Fluid Filter (at tank)	0510 089 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	12 L
6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Powered Rear Axle		Detail / Part No.
	Differential	12 L
	Planetary gear	1.7 L each
	Wheel Hub	0.25 L each
6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Battery		Detail / Part No.
		0016 046 0

Header Drive		Detail / Part No.
	2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
7	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90



	2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
--	---	-------

4	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
---	------------------------	-------------------------------

	Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
--	---	-------

	CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
--	------------------------	-----------------------------

Other Gearbox	Detail / Part No.
---------------	-------------------

	Rotor 00 0670 730 X	1,2 L
--	---------------------	-------

	Rotor 00 0670 731 X	1,2 L
--	---------------------	-------

6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
---	------------------------	---------------------------

	Radial spreader gear 00 0665 341 X	0.75 L
--	------------------------------------	--------

	Radial spreader gear 00 0665 342 X	0.75 L
--	------------------------------------	--------

6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
---	------------------------	---------------------------

	Grain tank unloading transmission	1.35 L each
--	-----------------------------------	-------------

6	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
---	------------------------	---------------------------

	Grain tank unloading lube pump	1.0 L each
--	--------------------------------	------------

	Oil	AGRIHYD XTREME 46
--	-----	-------------------

	Exchange interval	500 hour / annually
--	-------------------	---------------------

Coolant System	Detail / Part No.
----------------	-------------------

	Fill-up quantity	72 L
--	------------------	------

	Cooling liquid	CLAAS AGRICOOL OAT 0
--	----------------	----------------------

	Exchange cooling liquid	3 years
--	-------------------------	---------

Automatic Lubrication System

12 kg CLAAS AGRIGREASE EP 3 / EP2
(see operators manual)

APS Threshing	Detail / Part No.
---------------	-------------------

APS grate 6.5 x 40 smooth	0777 200 0 (x3)
---------------------------	-----------------

APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
---------------------------------	-----------------

APS grate 10 x 40 wire	0777 249 1 (x3)
------------------------	-----------------

APS Grate 10 x 40 wire - high wear	1809 809 0 (x3)
------------------------------------	-----------------

APS grate 12 x 40	0757 414 0 (x3)
-------------------	-----------------

APS grate 19 x 40	0757 439 1 (x3)
-------------------	-----------------

APS grate roundbar	1809 067 0 (x3)
--------------------	-----------------

Pre-concave blocking plate	CL99995220
----------------------------	------------

Main cover blocking plate	0356 729 0
---------------------------	------------

Residue Management	Detail / Part No.
--------------------	-------------------

8 Knives PRO CHOP std	0736 872 0 (x108)
-----------------------	-------------------

Knives PRO CHOP HD	0553 860 1 (x108)
--------------------	-------------------

Knives TURBO CHOP std	0353 195 0 (x88)
-----------------------	------------------

Knives TURBO CHOP HD	1815 999 0 (x88)
----------------------	------------------

Knives Standard Chop - std	0353 195 0 (x64)
----------------------------	------------------

CLAAS TERRA TRAC	Detail / Part No.
------------------	-------------------

Transmission for drive wheels	36 L per gearbox
-------------------------------	------------------

Middle support wheel hubs	0.25 L per hub
---------------------------	----------------

Front guide wheel hubs (steel wheels)	0.5 L per hub
---------------------------------------	---------------

Rocker arm (cast iron wheels)	1.5 L per rocker arm
-------------------------------	----------------------

6 CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
--------------------------	---------------------------

Exchange interval	500 hour / annually
-------------------	---------------------

After Sales Kits

LEXION 760 TT

Class: 8 / Machine Type: C79

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297500	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022477	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022481	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044020	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564430	E14 0020		upper and lower
Corn Sieves	7564940	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282320	G02 0242		
Straw Spreader No Chop	7282080	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157900	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299480	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	1403072	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 760 TT

Class: 8 / Machine Type: C79

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE + TT NO CHOPPER	7281980	R02 0030		
CENTRAL LUBE 4WD AXLE + TT NO CHOPPER	7281990	R02 0035		
CENTRAL LUBE 2WD AXLE + TT + CHOPPER	7282000	R02 0040		
CENTRAL LUBE 4WD AXLE + TT + CHOPPER	7282010	R02 0045		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282510	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282530	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 760

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC FE 10W-30
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2599 998 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually









Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1150 365 0
	Exchange filter	2 years

Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (high pressure)	0510 085 2
	CLAAS Return Fluid Filter (at tank)	0510 089 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	12 L
	CLAAS transmission oil	With Diff lock - CLAAS AGRISHIFT BLS 80W-90
		Without Diff Lock - CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.7 L each
	Wheel Hub	0.25 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually



Battery	Detail / Part No.
5	0016 046 0

Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval	500 hour / annually

Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Radial Spreader Gear 00 0665 341 X	0.75 L
Radial Spreader Gear 00 0665 342 X	0.75 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Grain tank unloading lube pump	1.0 L each
Oil	AGRIHYD XTREME 46
Exchange interval	500 hour / annually

Coolant System	Detail / Part No.
Fill-up quantity	72 L
6 Cooling liquid	CLAAS AGRICOOOL OAT 0
Exchange cooling liquid	3 years

Automatic Lubrication System
12 kg CLAAS Agrigrease EP 3 / EP2 (see operators manual)

APS Threshing	Detail / Part No.
7 APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS Grate 10 x 40 wire - High Wear	1809 809 0 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 1 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0

Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x108)
Knives PRO CHOP HD	0553 860 1 (x108)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
Knives Standard Chop - std	0353 195 0 (x64)

After Sales Kits

LEXION 760

Class: 8 / Machine Type: C79

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297500	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022477	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022481	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044020	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564430	E14 0020		upper and lower
Corn Sieves	7564940	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282320	G02 0242		
Straw Spreader No Chop	7282080	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157900	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299480	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	1403072	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 760

Class: 8 / Machine Type: C79

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE NO CHOPPER	7281940	R02 0010		
CENTRAL LUBE 4WD AXLE NO CHOPPER	7281950	R02 0015		
CENTRAL LUBE 2WD AXLE + CHOPPER	7281960	R02 0020		
CENTRAL LUBE 4WD AXLE + CHOPPER	7281970	R02 0025		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282510	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282530	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 750 TT

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC FE 10W-30
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2599 998 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1150 365 0
	Exchange filter	2 years

Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
3	CLAAS hydraulic oil	CLAAS AGRIHYD HVLPD 46
4	CLAAS hydraulic oil filter (at tank)	0510 054 1









CLAAS aeration filter (at tank)	0668 943 1
CLAAS hydraulic oil filter (at pressure)	0510 085 2
CLAAS Return Fluid Filter (at tank)	0510 089 0
Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	12 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Wheel hub	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Battery		Detail / Part No.
6		0016 046 0

Header Drive		Detail / Part No.
	2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
5	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
	2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L



CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval	500 hour / annually

Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Radial Spreader Gear 00 0665 341 X	0.75 L
Radial Spreader Gear 00 0665 342 X	0.75 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS Transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	AGRIHYD XTREME 46
Exchange interval	500 hour / annually

Coolant System	Detail / Part No.
Fill-up quantity	72 L
Cooling liquid	CLAAS AGRICOOOL OAT 0
Exchange cooling liquid	3 years

Automatic Lubrication System

- 7 12 kg CLAAS AGRIGREASE EP 3 / EP2
(see operators manual)

APS Threshing	Detail / Part No.
APS grate 6.5 x 40 smooth	0777 216 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 445 0 (x3)
APS grate 10 x 40 wire	0777 238 1 (x3)
APS Grate 10 x 40 wire - high wear	1805 8740 (x3)
APS grate 12 x 40	0757 427 0 (x3)
APS grate 19 x 40	0757 441 0 (x3)
APS grate roundbar	1809 068 0 (x3)
Pre-concave blocking plate	CL99995210
Main cover blocking plate	0356 728 0

Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x72)
Knives PRO CHOP HD	0553 860 1 (x72)
Knives TURBO CHOP std	0353 195 0 (x72)
Knives TURBO CHOP HD	1815 999 0 (x72)
Knives Standard Chop - std	0353 195 0 (x52)

CLAAS TERRA TRAC	Detail / Part No.
Transmission for drive wheels	36 L per gearbox
Middle support wheel hubs	0.25 L per hub
Front guide wheel hubs (steel wheels)	0.5 L per hub
Rocker arm (cast iron wheels)	1.5 L per rocker arm
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

After Sales Kits

LEXION 750 TT

Class: 8 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297490	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022324	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022328	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044010	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564490	E14 0020		upper and lower
Corn Sieves	7564830	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282310	G02 0242		
Straw Spreader No Chop	7282070	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157910	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299470	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	14030720	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 750 TT

Class: 8 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE + TT NO CHOPPER	7281880	R02 0030		
CENTRAL LUBE 4WD AXLE + TT NO CHOPPER	7281890	R02 0035		
CENTRAL LUBE 2WD AXLE + TT + CHOPPER	7281900	R02 0040		
CENTRAL LUBE 4WD AXLE + TT + CHOPPER	7281910	R02 0045		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282500	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282520	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 750

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC FE 10W-30
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2599 998 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually









Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1150 365 0
	Exchange filter	2 years

Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (high pressure)	0510 085 2
	CLAAS Return Fluid Filter (at tank)	0510 089 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	7.7 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Wheel hub	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually



Battery	Detail / Part No.
5	0016 046 0

Header Drive	Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval	500 hour / annually

Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Radial Spreader Gear 00 0665 341 X	0.75 L
Radial Spreader Gear 00 0665 342 X	0.75 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90

Grain tank unloading lube pump	1.0 L each
Oil	AGRIHYD XTREME 46
Exchange interval	500 hour / annually

Coolant System	Detail / Part No.
Fill-up quantity	72 L
6 Cooling liquid	CLAAS AGRICOOOL OAT 0
Exchange cooling liquid	3 years

Automatic Lubrication System
7 12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)

APS Threshing	Detail / Part No.
8 APS grate 6.5 x 40 smooth	0777 216 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 445 0 (x3)
APS grate 10 x 40 wire	0777 238 1 (x3)
APS Grate 10 x 40 wire - high wear	1805 8740 (x3)
APS grate 12 x 40	0757 427 0 (x3)
APS grate 19 x 40	0757 441 0 (x3)
APS grate roundbar	1809 068 0 (x3)
Pre-concave blocking plate	CL99995210
Main cover blocking plate	0356 728 0

Residue Management	Detail / Part No.
Knives PRO CHOP std	0736 872 0 (x72)
Knives PRO CHOP HD	0553 860 1 (x72)
Knives TURBO CHOP std	0353 195 0 (x72)
Knives TURBO CHOP HD	1815 999 0 (x72)
Knives Standard Chop - std	0353 195 0 (x52)

After Sales Kits

LEXION 750

Class: 8 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297490	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022324	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022328	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044010	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564490	E14 0020		upper and lower
Corn Sieves	7564830	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282310	G02 0242		
Straw Spreader No Chop	7282070	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157910	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299470	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	14030720	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 750

Class: 8 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE NO CHOPPER	7319990	R02 0010		
CENTRAL LUBE 4WD AXLE NO CHOPPER	7281850	R02 0015		
CENTRAL LUBE 2WD AXLE + CHOPPER	7281860	R02 0020		
CENTRAL LUBE 4WD AXLE + CHOPPER	7281870	R02 0025		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282500	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282520	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 740 TT

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC FE 10W-30
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2599 998 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1150 365 0
	Exchange filter	2 years

Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRIHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1









	CLAAS hydraulic oil filter (high pressure)	0510 085 2
	CLAAS Return Fluid Filter (at tank)	0510 089 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	12 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Battery		Detail / Part No.
5		0016 046 0

Header Drive		Detail / Part No.
	2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
6	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
	2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L



CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval	500 hour / annually

Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Radial Spreader Gear 00 0665 341 X	0.75 L
Radial Spreader Gear 00 0665 342 X	0.75 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	AGRIHYD XTREME 46
Exchange interval	500 hour / annually

Coolant System	Detail / Part No.
Fill-up quantity	72 L
Cooling liquid	CLAAS AGRICOOOL OAT 0
Exchange cooling liquid	3 years

Automatic Lubrication System

- 6 12 kg CLAAS AGRIGREASE EP 3 / EP2
(see operators manual)

APS Threshing	Detail / Part No.
7 APS grate 6.5 x 40 smooth	0777 216 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 445 0 (x3)
APS grate 10 x 40 wire	0777 238 1 (x3)
APS Grate 10 x 40 wire - high wear	1805 8740 (x3)
APS grate 12 x 40	0757 427 0 (x3)
APS grate 19 x 40	0757 441 0 (x3)
APS grate roundbar	1809 068 0 (x3)
Pre-concave blocking plate	CL99995210
Main cover blocking plate	0356 728 0

Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x72)
Knives PRO CHOP HD	0553 860 1 (x72)
Knives TURBO CHOP std	0353 195 0 (x72)
Knives TURBO CHOP HD	1815 999 0 (x72)
Knives Standard Chop - std	0353 195 0 (x52)

CLAAS TERRA TRAC	Detail / Part No.
Transmission for drive wheels	36 L per gearbox
Middle support wheel hubs	0.25 L per hub
Front guide wheel hubs (steel wheels)	0.5 L per hub
Rocker arm (cast iron wheels)	1.5 L per rocker arm
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

After Sales Kits

LEXION 740 TT

Class: 7 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297490	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022324	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022328	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044010	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564490	E14 0020		upper and lower
Corn Sieves	7564830	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282310	G02 0242		
Straw Spreader No Chop	7282070	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157910	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299470	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	14030720	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 740 TT

Class: 7 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE + TT NO CHOPPER	7281880	R02 0030		
CENTRAL LUBE 4WD AXLE + TT NO CHOPPER	7281890	R02 0035		
CENTRAL LUBE 2WD AXLE + TT + CHOPPER	7281900	R02 0040		
CENTRAL LUBE 4WD AXLE + TT + CHOPPER	7281910	R02 0045		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282500	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282520	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 740

Engine		Detail / Part No.
1	Motor type	CAT C 13 TIER 4f
	Fill-up quantity	34 L
2	CLAAS engine oil	CLAAS AGRIMOT PROTEC FE 10W-30
	CLAAS engine oil filter	0798 303 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2599 998 0
	CLAAS fuel main filter	0799 208 0 (x2)
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1150 365 0
	Exchange filter	2 years









Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
3	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
5	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (high pressure)	0510 085 2
	CLAAS Return Fluid Filter (at tank)	0510 089 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	7.7 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Stub axle	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Battery		Detail / Part No.
		0016 046 0



Header Drive		Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X		2.3 L
6	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X		1.0 L
3	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X		2.5 L
CLAAS transmission oil		CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval		500 hour / annually

Other Gearbox		Detail / Part No.
Rotor 00 0670 730 X		1,2 L
Rotor 00 0670 731 X		1,2 L
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Radial Spreader Gear 00 0665 341 X		0.75 L
Radial Spreader Gear 00 0665 342 X		0.75 L
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission		1.35 L each
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump		1.0 L each
Oil		AGRIHYD XTREME 46
Exchange interval		500 hour / annually

Coolant System		Detail / Part No.
Fill-up quantity		72 L
Cooling liquid		CLAAS AGRICOOOL OAT 0
Exchange cooling liquid		3 years

Automatic Lubrication System	
7	12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)

APS Threshing		Detail / Part No.
APS grate 6.5 x 40 smooth		0777 216 0 (x3)
APS grate 6.5 x 40 w/ key stock		0757 445 0 (x3)
APS grate 10 x 40 wire		0777 238 1 (x3))
APS Grate 10 x 40 wire - high wear		1805 8740 (x3)
APS grate 12 x 40		0757 427 0 (x3)
APS grate 19 x 40		0757 441 0 (x3)
APS grate roundbar		1809 068 0 (x3)
Pre-concave blocking plate		CL99995210
Main cover blocking plate		0356 728 0

Residue Management		Detail / Part No.
8	Knives PRO CHOP std	0736 872 0 (x72)
Knives PRO CHOP HD		0553 860 1 (x72)
Knives TURBO CHOP std		0353 195 0 (x72)
Knives TURBO CHOP HD		1815 999 0 (x72)
Knives Standard Chop - std		0353 195 0 (x52)

After Sales Kits

LEXION 740

Class: 7 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297490	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022324	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022328	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044010	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564490	E14 0020		upper and lower
Corn Sieves	7564830	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282310	G02 0242		
Straw Spreader No Chop	7282070	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157910	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299470	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	14030720	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 740

Class: 7 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE NO CHOPPER	7319990	R02 0010		
CENTRAL LUBE 4WD AXLE NO CHOPPER	7281850	R02 0015		
CENTRAL LUBE 2WD AXLE + CHOPPER	7281860	R02 0020		
CENTRAL LUBE 4WD AXLE + CHOPPER	7281870	R02 0025		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282500	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282520	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 730/730P

Engine		Detail / Part No.
1	Motor type	Mercedes OM470 TIER 4f
	Fill-up quantity	39 L
2	CLAAS engine oil	CLAAS AGRIMOT ULTRATEC 10W-40 / CLAAS AGRIMOT ULTRATEC FE 5W-30*
	CLAAS engine oil filter	0773 187 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2402 501 0
	CLAAS fuel main filter	1998 298 0
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1999 9480
	Exchange filter	2 years









Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
4	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS hydraulic oil filter (high pressure)	0510 085 2
	CLAAS Return Fluid Filter (at tank)	0510 089 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	7.7 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Powered Rear Axle		Detail / Part No.
	Differential	7.5 L
	Planetary gear	1.3 L each
	Wheel hub	0.2 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Battery		Detail / Part No.
5		0017 259 1 (x3)



Header Drive		Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X		2.3 L
6	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X		1.0 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X		2.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval		500 hour / annually

Other Gearbox		Detail / Part No.
Rotor 00 0670 730 X		1,2 L
Rotor 00 0670 731 X		1,2 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Radial Spreader Gear 00 0665 341 X		0.75 L
Radial Spreader Gear 00 0665 342 X		0.75 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission		1.35 L each
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump		1.0 L each
Oil		AGRIHYD XTREME 46
Exchange interval		500 hour / annually

Coolant System		Detail / Part No.
Fill-up quantity		68 L
Cooling liquid		CLAAS AGRICOOOL SI-OAT 50
Exchange cooling liquid		3 years

Automatic Lubrication System	
12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)	

APS Threshing		Detail / Part No.
7	APS grate 6.5 x 40 smooth	0777 216 0 (x3)
	APS grate 6.5 x 40 w/ key stock	0757 445 0 (x3)
	APS grate 10 x 40 wire	0777 238 1 (x3)
	APS Grate 10 x 40 wire - high wear	1805 8740 (x3)
	APS grate 12 x 40	0757 427 0 (x3)
	APS grate 19 x 40	0757 441 0 (x3)
	APS grate roundbar	1809 068 0 (x3)
	Pre-concave blocking plate	CL99995210
	Main cover blocking plate	0356 728 0

Residue Management		Detail / Part No.
8	Knives PRO CHOP std	0736 872 0 (x72)
	Knives PRO CHOP HD	0553 860 1 (x72)
	Knives TURBO CHOP std	0353 195 0 (x72)
	Knives TURBO CHOP HD	1815 999 0 (x72)
	Knives Standard Chop - std	0353 195 0 (x52)

After Sales Kits

LEXION 730/730P

Class: 7 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297490	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022324	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	18169340	C03 0065	8 bolt-on v-plates	requires closed threshing drum
Conversion Soybean (same as L9000)	91022328	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18044010	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	6289140	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7564490	E14 0020		upper and lower
Corn Sieves	7564830	E14 0030		upper and lower, long lipped
PRO CHOP HD w/blower	7282310	G02 0242		
Straw Spreader No Chop	7282070	G02 0275		
Manual Hydraulic Speed Control for TURBO CHOP	18157910	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	7299470	P14 0115	Secondary 94 Gallon Fuel tank for 304 Gal Total	
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	7319520	Q08 0012		
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282450	Q12 0051		
LED High End Worklight	7282460	Q12 0060		
LED High End Worklight + Spot	7282470	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	14030720	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 730/730P

Class: 7 / Machine Type: C78

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE NO CHOPPER	7319990	R02 0010		
CENTRAL LUBE 4WD AXLE NO CHOPPER	7281850	R02 0015		
CENTRAL LUBE 2WD AXLE + CHOPPER	7281860	R02 0020		
CENTRAL LUBE 4WD AXLE + CHOPPER	7281870	R02 0025		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282500	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282520	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 670 TT

Engine		Detail / Part No.
1	Motor type	Mercedes OM470 TIER 4f
	Fill-up quantity	39 L
2	CLAAS engine oil	CLAAS AGRIMOT ULTRATEC 10W-40 / CLAAS AGRIMOT ULTRATEC FE 5W-30*
	CLAAS engine oil filter	0773 187 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2402 501 0
	CLAAS fuel main filter	1998 298 0
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1999 9480
	Exchange filter	2 years

Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
3	CLAAS hydraulic oil	CLAAS AGRIHYD HVLPD 46









4	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS Return Fluid Filter (high pressure)	0510 085 2
	CLAAS Return Fluid Filter (at tank)	0510 089 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	7.7 L
5	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Powered Rear Axle		Detail / Part No.
	Wheel Hub	0.25 L each
	CLAAS Transmission Oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Battery		Detail / Part No.
6		0017 259 1 (X3)

Header Drive		Detail / Part No.
	2nd step reduction gearbox transmission ser num 00 0776 250 X	2.3 L
	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90



2nd step reduction gearbox transmission ser num 00 0776 200 X	1.0 L
CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X	2.5 L
CLAAS transmission oil	CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval	500 hour / annually

Other Gearbox	Detail / Part No.
Rotor 00 0670 730 X	1,2 L
Rotor 00 0670 731 X	1,2 L
5 CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Radial Spreader Gear 00 0665 341 X	0.75 L
Radial Spreader Gear 00 0665 342 X	0.75 L
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission	1.35 L each
CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump	1.0 L each
Oil	AGRIHYD XTREME 46
Exchange interval	500 hour / annually

Coolant System	Detail / Part No.
Fill-up quantity	68 L
Cooling liquid	CLAAS AGRICOOL SI-OAT 50
Exchange cooling liquid	3 years

Automatic Lubrication System

- 7 12 kg CLAAS AGRIGREASE EP 3 / EP2
(see operators manual)

APS Threshing	Detail / Part No.
APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock	0757 443 0 (x3)
APS grate 10 x 40 wire	0777 249 1 (x3)
APS Grate 10 x 40 wire - high wear	1809 809 0 (x3)
APS grate 12 x 40	0757 414 0 (x3)
APS grate 19 x 40	0757 439 0 (x3)
APS grate roundbar	1809 067 0 (x3)
Pre-concave blocking plate	CL99995220
Main cover blocking plate	0356 729 0

Residue Management	Detail / Part No.
8 Knives PRO CHOP std	0736 872 0 (x88)
Knives PRO CHOP HD	0553 860 1 (x88)
Knives TURBO CHOP std	0353 195 0 (x88)
Knives TURBO CHOP HD	1815 999 0 (x88)
Knives - Standard Chop - std	0353 195 0 (x64)

CLAAS TERRA TRAC	Detail / Part No.
Transmission for drive wheels	36 L per gearbox
Middle support wheel hubs	0.25 L per hub
Front guide wheel hubs (steel wheels)	0.5 L per hub
Rocker arm (cast iron wheels)	1.5 L per rocker arm
5 CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
Exchange interval	500 hour / annually

After Sales Kits

LEXION 670 TT

Class: 7 / Machine Type: C77

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297500	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022477	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	N/A			
Conversion Soybean (same as L9000)	91022481	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18040150	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	7857790	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7592260	E14 0020		upper and lower
Corn Sieves	N/A			upper and lower, long lipped
PRO CHOP HD w/blower	7282300	G02 0242		
Straw Spreader No Chop	N/A			
Manual Hydraulic Speed Control for TURBO CHOP	18157900	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	N/A			
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	N/A			
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282410	Q12 0051		
LED High End Worklight	7282420	Q12 0060		
LED High End Worklight + Spot	7282430	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	14030720	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 670 TT

Class: 7 / Machine Type: C77

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
CENTRAL LUBE 2WD AXLE + TT NO CHOPPER	7319740	R02 0030		
CENTRAL LUBE 4WD AXLE + TT NO CHOPPER	7319750	R02 0035		
CENTRAL LUBE 2WD AXLE + TT + CHOPPER	7319760	R02 0040		
CENTRAL LUBE 4WD AXLE + TT + CHOPPER	7319770	R02 0045		
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282510	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282530	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

LEXION 670

Engine		Detail / Part No.
1	Motor type	Mercedes OM470 TIER 4f
	Fill-up quantity	39 L
2	CLAAS engine oil	CLAAS AGRIMOT ULTRATEC 10W-40 / CLAAS AGRIMOT ULTRATEC FE 5W-30*
	CLAAS engine oil filter	0773 187 0
	Exchange engine oil and oil filter	500 hour / annually

Fuel System		Detail / Part No.
	CLAAS pre-fuel filter	2402 501 0
	CLAAS fuel main filter	1998 298 0
	Exchange filter	500 hour / annually

Engine Air Filters		Detail / Part No.
3	CLAAS air filter cartridge	0077 367 2
	CLAAS security cartridge	0077 382 1
	Exchange filter	500 hour / annually

Exhaust Gas Treatment		Detail / Part No.
	CLAAS urea filter cartridge	1999 9480
	Exchange filter	2 years









Transfer Gearbox		Detail / Part No.
	Engine output gearbox	4.5 L
4	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90

Hydraulic System		Detail / Part No.
	Fill-up quantity for oil change	40L
	CLAAS hydraulic oil	CLAAS AGRHYD HVLPD 46
	CLAAS hydraulic oil filter (at tank)	0510 054 1
	CLAAS aeration filter (at tank)	0668 943 1
	CLAAS Return Fluid Filter (high pressure)	0510 085 2
	CLAAS Return Fluid Filter (at tank)	0510 089 0
	Exchange interval	1000 hour / annually

Front Drive Axle		Detail / Part No.
	Differential	7.7 L
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Final drive	7,5 L (2x)
	CLAAS transmission oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Front Drive Axle		Detail / Part No.
	Wheel Hub	0.25 L each
	CLAAS Transmission Oil	CLAAS AGRISHIFT MT 80W-90
	Exchange interval	500 hour / annually

Battery		Detail / Part No.
5		0017 259 1 (X3)



Header Drive		Detail / Part No.
2nd step reduction gearbox transmission ser num 00 0776 250 X		2.3 L
6	CLAAS transmission oil	CLAAS AGRISHIFT BLS 80W-90
2nd step reduction gearbox transmission ser num 00 0776 200 X		1.0 L
4	CLAAS transmission oil	CLAAS AGRISHIFT SYN FE 75W-90
Two step reduction gearbox transmission ser num 00 0669 910 X		2.5 L
CLAAS transmission oil		CLAAS AGRISHIFT 4 SC 80W-90
Exchange interval		500 hour / annually

Other Gearbox		Detail / Part No.
Rotor 00 0670 730 X		1,2 L
Rotor 00 0670 731 X		1,2 L
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Radial Spreader Gear 00 0665 341 X		0.75 L
Radial Spreader Gear 00 0665 342 X		0.75 L
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading transmission		1.35 L each
CLAAS transmission oil		CLAAS AGRISHIFT MT 80W-90
Grain tank unloading lube pump		1.0 L each
Oil		AGRIHYD XTREME 46
Exchange interval		500 hour / annually

Coolant System		Detail / Part No.
Fill-up quantity		68 L
Cooling liquid		CLAAS AGRICOOOL SI-OAT 50
Exchange cooling liquid		3 years

Automatic Lubrication System	
7	12 kg CLAAS AGRIGREASE EP 3 / EP2 (see operators manual)

APS Threshing		Detail / Part No.
8	APS grate 6.5 x 40 smooth	0777 200 0 (x3)
APS grate 6.5 x 40 w/ key stock		0757 443 0 (x3)
APS grate 10 x 40 wire		0777 249 1 (x3)
APS Grate 10 x 40 wire - high wear		1809 809 0 (x3)
APS grate 12 x 40		0757 414 0 (x3)
APS grate 19 x 40		0757 439 0 (x3)
APS grate roundbar		1809 067 0 (x3)
Pre-concave blocking plate		CL99995220
Main cover blocking plate		0356 729 0

Residue Management		Detail / Part No.
Knives PRO CHOP std		0736 872 0 (x88)
Knives PRO CHOP HD		0553 860 1 (x88)
Knives TURBO CHOP std		0353 195 0 (x88)
Knives TURBO CHOP HD		1815 999 0 (x88)
Knives Standard Chop - std		0353 195 0 (x64)

After Sales Kits

LEXION 670

Class: 7 / Machine Type: C77

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
Variable Speed FH Drive	7316273	B06 0020	Variable Speed Feederhouse and header drive with 120kW max power	only for conversion from 2 step drive B06_0010
CRUISE PILOT ready	7297500	B13 0022	Cables and Hardware Installed - Automatically controls harvesting speed	Q15 0110 CODE required to activate CRUISE PILOT
CRUISE PILOT - CODE	14032580	Q15 0110	Automatically controls harvesting speed	Requires B13 0022 hardware
Conversion Corn to Small Grain (same as L9000)	91022477	C03 0019		with standard wear pre-concave segments, cover plates, and threshing segments
APS Threshing Drum V-Vane Kit (Dakota Kit)	N/A			
Conversion Soybean (same as L9000)	91022481	C03 0165		12 x 40 keystack perforated pre-concave segments
Conversion Small Grains to Corn	18040150	C03 0180		19 x 40 smooth perforated pre-concave segments
Wind Reduction Pulley	7857790	E05 0010		uses standard belt
GRAINMETER Sensor & Tailings	7299330	E10 0030		
TM6 Sieves	7592260	E14 0020		upper and lower
Corn Sieves	N/A			upper and lower, long lipped
PRO CHOP HD w/blower	7282300	G02 0242		
Straw Spreader No Chop	N/A			
Manual Hydraulic Speed Control for TURBO CHOP	18157900	G03 0110		Requires TURBO CHOP
Extra Fuel Tank	N/A			
Side window blinds (same as L9000)	5645050	Q03 0130		
CEBIS Mobile	7319180	Q07 0075	Monitor	
Backup Camera Hardware	7317990	Q07 0360	Video Displayed on CEBIS monitor	CODE Required for activation
Backup Camera - CODE	14057450	Q07 0360	Video Displayed on CEBIS monitor	
Quantimeter	N/A			
Printer for CEBIS	7296050	Q09 0080		
Deluxe Leather Seat	7319260	Q10 0035	Climate controlled seat	
LED Worklight + Spot	7282410	Q12 0051		
LED High End Worklight	7282420	Q12 0060		
LED High End Worklight + Spot	7282430	Q12 0061		
CEMOS Dialog Software - CODE	14031260	Q15 0020	Assists the Operator in optimizing the combine in changing conditions.	Requires CEBIS MOBILE Terminal 731918.0
CEMOS AUTO SEPARATION - CODE	14030670	Q15 0040	For CEMOS AUTOMTIC, Automatically Adjusts the separation system	Requires Q15 0050 Requires Q15 0020 or Q15 0022 Requires Q15 0110
CEMOS AUTO CLEANING - CODE	14030720	Q15 0050	Automatically Adjusts the cleaning system	Requires Q15 0040

LEXION 670

Class: 7 / Machine Type: C77

Aftermarket Kit	Part No.	Whole Goods No.	Description	Remarks
AUTO CROP FLOW - CODE	14032560	Q15 0060	Automatic plugging protection	
AUTO SLOPE - CODE	14032580	Q15 0070	Adjusts fan speed automatically travelling uphill or downhill	NOT WITH D10 0041, D10 0051 or Q15 0050
C-MOTION handle	5583751	Q16 0020	Replaces Standard Operating lever	
CENTRAL LUBE 2WD AXLE NO CHOPPER	7319680	R02 0010		
CENTRAL LUBE 4WD AXLE NO CHOPPER	7319700	R02 0015		
CENTRAL LUBE 2WD AXLE + CHOPPER	7319710	R02 0020		
CENTRAL LUBE 4WD AXLE + CHOPPER	7319730	R02 0025		
CEBIS spread width adjustment (Std Chop)	7319020	R03 0010		Requires G02 0232
SIDEWIND COMPENSATION	7319140	R03 0070	Automatic sidewind compensation	PRO CHOP and CODE Required for activation
SIDEWIND COMPENSATION - CODE	14030920	R03 0070	Automatic sidewind compensation	Requires PRO CHOP and hardware
CEBIS spread direction adjust (Straw Spreader)	7282480	R03 0092		Requires G02 0275
CEBIS stationary knife and floor adjust TURBO CHOP	7282510	R03 0102		Requires G02 0257 / 0255
CEBIS stationary knife and floor adjust PRO CHOP	7282530	R03 0104		Requires G02 0242 / 0240
Standard 12V accessory plug, 2 contact	658230.0			
Alternate 3 pin accessory in cab	1138211.0			

CLAAS ORIGINAL lubricants

Description	Part No.	Remarks	Container Size
Engine oil 	AGRIMOT PROTEC 10W-40	Fuel Economy	208 l
	AGRIMOT PROTEC 10W-40	Fuel Economy	20 l
	AGRIMOT PROTEC 10W-40	Fuel Economy	5 l
	AGRIMOT PROTECH FE 10W-30	Fuel Economy	20 l
	AGRIMOT PROTECH FE 10W-30	Fuel Economy	60 l
	AGRIMOT PROTECH FE 10W-30	Fuel Economy	208 l
	AGRIMOT PROTECH FE 10W-30	Fuel Economy	5 l
	AGRIMOT SDM 15W-40	Mineral	60 l
	AGRIMOT SDM 15W-40	Mineral	208 l
	AGRIMOT SDM 15W-40	Mineral	20 l
	AGRIMOT SDM 15W-40	Mineral	5 l
	AGRIMOT SDX 15W-40	Mineral	208 l
	AGRIMOT SDX 15W-40	Mineral	1.000 l
	AGRIMOT SDX 15W-40	Mineral	20 l
	AGRIMOT SDX 15W-40	Mineral	5 l
	AGRIMOT SDX 15W-40	Mineral	60 l
	AGRIMOT SDX FE 15W-30	Mineral	20 l
	AGRIMOT SDX FE 15W-30	Mineral	60 l
	AGRIMOT SDX FE 15W-30	Mineral	208 l
	AGRIMOT SDX FE 15W-30	Mineral	5 l
	AGRIMOT ULTRATEC 10-W 40	Synthetic	5 l
	AGRIMOT ULTRATEC 10W-40	Synthetic	208 l
	AGRIMOT ULTRATEC 10W-40	Synthetic	20 l
	AGRIMOT ULTRATEC 10W-40	Synthetic	1.000 l
	AGRIMOT ULTRATEC 10W-40	Synthetic	5 l
	AGRIMOT ULTRATEC FE 5W-30	Synthetic Fuel Eco.	20 l
	AGRIMOT ULTRATEC FE 5W-30	Synthetic Fuel Eco.	208 l
	AGRIMOT ULTRATEC FE 5W-30	Synthetic Fuel Eco.	5 l
Universal oil 	AGRI UNIVERSAL 15W-40		60 l
	AGRI UNIVERSAL 15W-40		208 l
	AGRI UNIVERSAL 15W-40		20 l
	AGRI UNIVERSAL 300 15W-40		5 l
	AGRI UNIVERSAL 400 10W-40		208 l
	AGRI UNIVERSAL 400 10W-40		1.000 l
	AGRI UNIVERSAL 400 10W-40		20 l
	AGRI UNIVERSAL 400 10W-40		5 l
Transmission oil 	AGRISHIFT 4SC 80W90		20 l
	AGRISHIFT BIO 45		20 l
	AGRISHIFT BLS90		208 l
	AGRISHIFT BLS90		20 l
	AGRISHIFT BLS90		5 l
	AGRISHIFT GA 12		20 l

Developed, tested, and approved by CLAAS.

Please see CLAAS ORIGINAL Lubricants catalog for applications and descriptions.

Description	Part number	Remarks	Container Size
Transmission oil 	AGRISHIFT GA 12	00 0147 392 0	208 l
	AGRISHIFT GA 12	00 0147 393 0	60 l
	AGRISHIFT GA 12	00 0147 394 0	5 l
	AGRISHIFT MT 80W-90	00 0147 399 0	208 l
	AGRISHIFT MT 80W-90	00 0147 430 0	20 l
	AGRISHIFT MT 80W-90	00 0182 202 0	1.000 l
	AGRISHIFT SYN FE 75W-90	00 0147 493 1	Fuel Economy 5 l
	AGRISHIFT SYN FE 75W-90	00 0560 576 1	Fuel Economy 20 l
	AGRISHIFT THFI	00 0147 431 0	60 l
	AGRISHIFT THFI	00 0147 432 0	208 l
	AGRISHIFT THFI	00 0147 433 0	20 l
	AGRISHIFT THFI	00 0182 249 0	5 l
	AGRISHIFT XE	00 0147 435 1	20 l
	AGRISHIFT XE	00 0182 201 0	208 l
Hydraulic oil 	AGRI HYD HVLP 46	00 0147 444 0	Multigrade 208 l
	AGRI HYD HVLP 46	00 0147 445 0	Multigrade 20 l
	AGRI HYD HVLP 46-D	00 0147 446 0	(Detergent Multigrade) 208 l
	AGRI HYD HVLP 46-D	00 0147 447 0	(Detergent Multigrade) 20 l
	AGRIHYD EXTREME 46	00 0180 175 1	Synthetic Bio-degradable 210 l
	AGRIHYD EXTREME 46	00 0180 176 1	Synthetic Bio-degradable 20 l
	AGRIHYD HV 46	00 0147 901 0	Multigrade 5 l
	AGRIHYD HVLPD 46	00 0147 142 0	(Detergent Multigrade) 5 l
	AGRIHYD HVLPD 46	00 0182 206 0	(Detergent Multigrade) 1.000 l
Greases 	AGRIGREASE - SEMI FLUID	00 0147 438 0	1 kg
	AGRIGREASE EP2	00 0147 341 0	5 kg
	AGRIGREASE EP2	00 0146 099 0	Drum**** 50 kg
	AGRIGREASE EP2	00 0147 437 0	Cartridge 400 g
	AGRIGREASE EP3	00 0202 249 1	Cartridge* 50 kg
	AGRIGREASE EP3	00 0241 793 1	Cartridge* 400 g
	AGRIGREASE EP3	00 0147 919 0	Drum**** 50 kg
Coolants 	AGRI-COOL OAT 0	00 0147 471 1	ready-mix 5 l
	AGRI-COOL OAT 0	00 0147 472 1	ready-mix 20 l
	AGRI-COOL OAT 0	00 0147 473 1	ready-mix 208 l
	AGRICOOL 2 (LIMITED STOCK)	60 0570 145 7	for MTU engines** 5 l
	AGRICOOL 2 (LIMITED STOCK)	60 0570 146 1	for MTU engines** 60 l
	AGRICOOL SI-OAT 50	00 0146 100 0	ready-mix*** 210 l
	AGRICOOL SI-OAT 50	00 0146 101 0	ready-mix*** 20 l
	AGRICOOL SI-OAT 50	00 0146 102 0	ready-mix*** 5 l

* EP3 grease must be used in all JAGUAR starting from production year 2012 and newer.

** for MTU engines: OM470LA, 471 LA and 473LA

*** for MTU engines: OM470LA, 471 LA, 473LA, and 936 LA

**** See Grease pump kit, page 24

Whatever it takes.
CLAAS Service & Parts.





Whatever it takes – CLAAS Service & Parts.

Your needs matter.

You can always rely on us: we'll be there whenever you need us – everywhere, quickly and reliably, around the clock if necessary, with precisely the solution that your machine or business requires.

Reliability can be planned.

With our service products, you can increase your machine reliability, minimize your risk of breakdowns, and budget with confidence. CLAAS MAXI CARE offers planned reliability for your machine.



Always up to date.

CLAAS dealer service teams are trained by CLAAS and equipped with the all-important special tools and diagnostic systems to meet all your expectations with regard to expertise and reliability.

Problem solving by remote diagnostics: CLAAS TELEMATICS.

CLAAS TELEMATICS on your machine brings two important advantages: fast assistance from CLAAS service technicians and a more profitable operation, thanks to wireless networking. We can be there, on the spot, to solve your problem – even when you can't see us.


ON YOUR FARM PARTS.

CLAAS ON YOUR FARM PARTS allows you to customize a selection of parts on your farm in order to get you back up and running in minimal time. Buy now – pay after the harvest – it's that simple. Ask your participating dealer for details.



ORIGINAL parts and accessories.


Specially matched to your machine: precision-manufactured parts, high-quality consumables and useful accessories. We will supply exactly the right solution from our comprehensive product range to ensure that your machine is 100% reliable.



The CLAAS Parts Logistics Center in Columbus, Indiana, stocks more than 36,000 part numbers in a warehouse area of over 165,000 sq ft.

Worldwide coverage from Columbus, Regina, and Hamm.

The CLAAS of America Parts Logistics Centers in Columbus, Indiana and Regina, Saskatchewan, provide world-class parts support throughout North America for all CLAAS products. Supported by the CLAAS worldwide spare parts depot in Hamm, Germany, we provide the CLAAS dealer network with reliable, consistent parts availability and industry leading responsiveness. Your local CLAAS dealer can supply the right parts solution for your business to maximize machine uptime.



The CLAAS Parts Logistics Center in Regina Saskatchewan, stocks more than 14,000 part numbers in a warehouse area of over 33,000 sq ft.